Index to Volume 50

ADAMOWICZ S, *see* CÁRDENAS-NAVARRO R.

AERTS R. Interspecific competition in natural plant communities: mechanisms, trade-offs, and plant–soil feedbacks 29

AKABA S, *see* OMAROV RT.

AKAGI R, *see* IKEDA M.

AKHTAR MS, GOLDSCHMIDT EE, JOHN I, RODONI S, MATILE P, GRIERSON D. Altered patterns of senescence and ripening in *gf*, a stay-green mutant of tomato (*Lycopersicon esculentum* Mill.) 1115

ALBRECHTOVÁ J, *see* BÍLKOVÁ J.

ALCALDE JA, WHEELER TR, SUMMERFIELD RJ, NORERO AL. Quantitative effects of the genes *Lf*, *Sn*, *E*, and *Hr* on time to flowering in pea (*Pisum sativum* L.) 1691

ALI ZM, *see* CHIN L-H.

ALPUCHE-SOLIS AG, *see* GRIFFITHS A.

AMODEO G, DORR R, VALLEJO A, SUTKA M, PARISI M. Radial and axial water transport in the sugar beet storage root 509

ANDERSON JW, *see* FITZGERALD MA.

ANN VJ, *see* WINGLER A.

APHALO PJ, BALLARÉ CL, SCOPEL AL. Plant–plant signalling, the shade avoidance response and competition 1629

ARISI A-CM, *see* NOCTOR G.

ARONEN T, *see* HÄGGMAN H.

ARTHUR AE, *see* FRIAS J.

ASANUMA W, *see* TAKAHASHI H.

ATKINS CA. Spontaneous phloem exudation accompanying abscission in *Lupinus mutabilis* (Sweet.) 805

ATKINSON RG, *see* DONG Y-H.

AYAYDIN F, *see* PERES A.

AZCÓN-AGUILAR C, *see* BENABDELLAH K.

BACANAMWO M, PURCELL LC. Soybean dry matter and N accumulation responses to flooding stress, N sources and hypoxia 689

BACKHAUSEN JE, SCHEIBE R. Adaptation of tobacco plants to elevated CO_2: influence of leaf age on changes in physiology, redox states and NADP-malate dehydrogenase activity 665

BAIZABAL-AGUIRRE VM, *see* ICHIDA AM.

BAKER DA, *see* BRUDENELL AJP.

BAKHSH A, *see* FRIAS J.

BALESTRINI R, *see* DI COLA A.

BALLARÉ CL, *see* APHALO PJ.

BARKER DJ, *see* CLARK H.

BARKER L, *see* KÜHN C.

BARLOW PW, *see* SABELLI PA.

BARNES J, BENDER J, LYONS T, BORLAND A. Natural and man-made selection for air pollution resistance (Review article) 1423

BARNETT JR, *see* FORSYTH JL.

BARRACLOUGH PB, *see* CLARK LJ.

BARRY C, *see* GRIFFITHS A.

BARTELS-RAHM B, *see* COWAN AK.

BARTOLI CG, SIMONTACCHI M, TAMBUSSI E, BELTRANO J, MONTALDI E, PUNTARULO S. Drought and watering-dependent stress: effect on antioxidant content in *Triticum aestivum* L. leaves 375

BASSHAM DC, *see* ZHENG H.

BAUDO MM, MEZA-ZEPEDA LA, PALVA ET, HEINO P. Isolation of a cDNA corresponding to a low temperature- and ABA-responsive gene encoding a putative glycine-rich RNA-binding protein in *Solanum tuberosum* 1867

BAXTER R, FARRAR JF. Export of carbon from leaf blades of *Poa alpina* L. at elevated CO_2 and two nutrient regimes 1215

BELL D, *see* THOMAS DS.

BELTRANO J, *see* BARTOLI CG.

BENABDELLAH K, AZCÓN-AGUILAR C, FERROL N. Plasma membrane ATPase and H^+ transport activities in microsomal membranes from mycorrhizal tomato roots 1343

BENDER J, *see* BARNES J.

BENLLOCH M, *see* QUINTERO JM.

BERNAL-LUGO I, RODRIGUEZ M, GAVILANES-RUIZ M, HAMABATA A. Reduced aleurone *a*-amylase production in aged wheat seeds is accompanied by lower levels of high-pI *a*-amylase transcripts and reduced response to gibberellic acid 311

BEWLEY JD, *see* REN C.

BIELA A, *see* ECKERT M.

BÍLKOVÁ J, ALBRECHTOVÁ J, OPATRNÁ J. Histochemical detection and image analysis of non-specific esterase activity and the amount of polyphenols during annual bud development in Norway spruce 1129

BISKUP B, *see* WHITE PJ.

BLATT MR. Reassessing roles for Ca^{2+} in guard cell signalling 989

BLAYLOCK AJ, *see* SEYMOUR RS.

BLILOU I, OCAMPO JA, GARCIA-GARRIDO JM. Resistance of pea roots to endomycorrhizal fungus or *Rhizobium* correlates with enchanced levels of endogenous salicylic acid 1663

BLUM A, *see* ZHANG J.

BOCK CA, *see* CARRIER DJ.

BOHNERT HJ, *see* TYERMAN SD.

BOLLER T, *see* XIE Z-P.

BOLWELL GP, *see* STRANGER A.

BORLAND A, *see* BARNES J.

BOTTERMAN J, *see* VAN BREUSEGEM F.

BOUCAUD J, *see* MORVAN-BERTRAND A.

BOWLES DJ, *see* ROBERTS MR.

BOWSHER C, *see* HANKE G.

BOYD CM, GRADMANN D. Electrophysiology of the marine diatom *Coscinodiscus wailesii*. I. 445

BOYD CM, GRADMANN D. Electrophysiology of the marine diatom *Coscinodiscus wailesii*. III. 461

BOYD CM, *see* GRADMANN D.

BRABANT P, *see* ENJALBERT J.

BRADFORD KJ, *see* CHENG Z.

BRADFORD KJ, *see* GURUSINGHE SH.

BROUGHTON WJ, *see* XIE Z-P.

BROWN AMG, EDWARDS CM, HARTMAN TPV, MARSHALL JA, SMITH RM, DAVEY MR, POWER JB, LOWE KC. Sexual hybrids of *Tanacetum*: biochemical, cytological and pharmacological characterization 435

BROWNLEE C, GODDARD H, HETHERINGTON AM, PEAKE L-A. Specificity and integration of responses: Ca^{2+} as a signal in polarity and osmotic regulation 1001

BRUDENELL AJP, GRIFFITHS H, ROSSITER JT, BAKER DA. The phloem mobility of glucosinolates 745

© Oxford University Press 1999

BRÜGGEMANN LI, POTTOSIN II, SCHÖNKNECHT G. Cytoplasmic magnesium regulates the fast activating vacuolar cation channel 1547

BRÜGGEMANN LI, POTTOSIN II, SCHÖNKNECHT G. Selectivity of the fast activating vacuolar cation channel 873

BUCKLEY TN, *see* MOTT KA.

BUGHIO N, *see* NAKANISHI H.

BUITINK J, *see* LEPRINCE O.

BURGIN MJ, CASAL JJ, WHITELAM GG, SÁNCHEZ RA. A light-regulated pool of phytochrome and rudimentary high-irradiance responses under far-red light in *Pinus elliottii* and *Pseudotsuga menziesii* 831

BÜRKLE L, *see* KÜHN C.

BUSCHMANN P, *see* SAALBACH G.

BUSH DR, *see* DREYER I.

BUTLER ED, GALLAGHER TF. Isolation and characterization of a cDNA encoding a novel 2-oxoacid-dependent dioxygenase which is up-regulated during adventitious root formation in apple (*Malus domestica* 'Jork 9') stem discs 551

BUWALDA F, WARMENHOVEN M. Growth-limiting phosphate nutrition suppresses nitrate accumulation in greenhouse lettuce 813

CAIRNS ALP, *see* COWAN AK.

CÁRDENAS-NAVARRO R, ADAMOWICZ S, GOJON A, ROBIN P. Modelling nitrate influx in young tomato (*Lycopersicon esculentum* Mill.) plants 625

CÁRDENAS-NAVARRO R, ADAMOWICZ S, ROBIN P. Nitrate accumulation in plants: a role for water 613

CARRIER DJ, KENDALL EJ, BOCK CA, CUNNINGHAM JE, DUNSTAN DI. Water content, lipid deposition, and (+)-abscisic acid content in developing white spruce seeds 1359

CASADO CG, HEREDIA A. Structure and dynamics of reconstituted cuticular waxes of grape berry cuticle (*Vitis vinifera* L.) 175

CASAL JJ, *see* BURGIN MJ.

CASARINI E, *see* SANGUINETI MC.

ČATSKÝ J, *see* POSPÍŠILOVÁ J.

CAUSSE M, *see* PRIOUL J-L.

CECCHINI E, *see* SOHAL AK.

CHAN YW, TUNG WL, GRIFFITH M, CHOW K-C. Cloning of a cDNA encoding the thaumatin-like protein of winter rye (*Secale cereale* L. Musketeer) and its functional characterization 1627

CHANG Y-C, *see* MA JF.

CHEN CCS, PLANT AL. Salt-induced protein synthesis in tomato roots: the role of ABA 677

Cheng K-J, *see* LIU J-H.

CHENG W, *see* SIMS DA.

CHENG Z, BRADFORD KJ. Hydrothermal time analysis of tomato seed germination responses to priming treatments 89

CHENG Z, *see* GURUSINGHE SH.

CHIN L-H, ALI ZM, LAZAN H. Cell wall modifications, degrading enzymes and softening of carambola fruit during ripening 767

CHORY J, *see* LI J.

CHOW K-C, *see* CHAN YW.

CIANZIO SR, *see* POLACCO JC.

CITOVSKY V, *see* KUNIK T.

CLARK H, NEWTON PCD, BARKER DJ. Physiological and morphological responses to elevated CO_2 and a soil moisture deficit of temperate pasture species growing in an established plant community 233

CLARK LJ, BARRACLOUGH PB. Do dicotyledons generate greater maximum axial root growth pressures than monocotyledons? 1263

CLARKE A, *see* DESIKAN R.

CLIFTON-BROWN JC, JONES MB. Alteration in transpiration rate, by changing air vapour pressure deficit, influences leaf extension rate transiently in *Miscanthus* 1393

CONNER AJ, MLYNAROVA L, STIEKEMA WJ, NAP J-P. Gametophytic expression of GUS activity controlled by the potato *Lhca3.St.1* promoter in tobacco pollen 1471

CONTI S, *see* SANGUINETI MC.

CORBETT JM, *see* STRANGER A.

COTELLE V, PIERRE J-N, VAVASSEUR A. Potential strong regulation of guard cell phospho*enol*pyruvate carboxylase through phosphorylation 777

COVEY SN, *see* SOHAL AK.

COWAN AK, CAIRNS ALP, BARTELS-RAHM B. Regulation of abscisic acid metabolism: towards a metabolic basis for abscisic acid–cytokinin antagonism 595

COWLING RJ, HARBERD NP. Gibberellins control *Arabidopsis* hypocotyl growth via regulation of cellular elongation 1351

CRAMER MD, RICHARDS MB. The effect of rhizosphere dissolved inorganic carbon on gas exchange characteristics and growth rates of tomato seedlings 79

CRESS WA, *see* HARE PD.

CUIN TA, MILLER AJ, LAURIE SA, LEIGH RA. Nitrate interference with potassium-selective microelectrodes 1709

CUNNINGHAM JE, *see* CARRIER DJ.

CZEMPINSKI K, GAEDEKE N, ZIMMERMANN S, MÜLLER-RÖBER B. Molecular mechanisms and regulation of plant ion channels 955

DA SILVA CONCEIÇÃO A, *see* ZHENG H.

DAHSE I, *see* SAALBACH G.

DALI N, *see* N'TCHOBO H.

DAMERVAL C, *see* DE VIENNE D.

DARBY R, *see* ROBERTS MR.

DAVEY MR, *see* BROWN AMG.

DAVIES GJ, KILBY NJ, RIOU-KHAMLICHI C, MURRAY JAH. Somatic and germinal inheritance of an FLP-mediated deletion in transgenic tobacco 1447

DAVIES GM, *see* SAYANOVA O.

DAVIES WJ, *see* SMILLIE RM.

DE LARRINOA IF, *see* SERRANO R.

DE MATTOS EA, HERZOG B, LÜTTGE U. Chlorophyll fluorescence during CAM-phases in *Clusia minor* L. under drought stress 253

DE VIENNE D, LEONARDI A, DAMERVAL C, ZIVY M. Genetics of proteome variation for QTL characterization: application to drought-stress responses in maize 303

DE VIENNE D, *see* PRIOUL J-L.

DE WILD HPJ, WOLTERING EJ, PEPPELENBOS HW. Carbon dioxide and 1-MCP inhibit ethylene production and respiration of pear fruit by different mechanisms 837

DEBNAM PM, EMES MJ. Subcellular distribution of enzymes of the oxidative pentose phosphate pathway in root and leaf tissues 1653

DELROT S, *see* FAUGERON C.

DESIKAN R, CLARKE A, HANCOCK JT, NEILL SJ. H_2O_2 activates a MAP kinase-like enzyme in *Arabidopis thaliana* suspension cultures 1863

Di Cola A, Marcozzi G, Balestrini R, Spanò L. Localization of the type I ribosome-inactivating protein, luffin, in adult and embryonic tissues of *Luffa cylindrica* L. Roem. 573

DOMOZYCH DS. Disruption of the Golgi apparatus and

secretory mechanism in the desmid, *Closterium acerosum*, by brefeldin A 1323
DONG Y-H, YAO J-L, ATKINSON RG, MORRIS BA, GARDNER RC. *Mdh3* encoding a *Phalaenopsis* O39-like homeodomain protein expressed in ovules of *Malus domestica* 141
DÖRFFLING K, *see* HANSEN H.
DORR R, *see* AMODEO G.
DRAPER J, *see* KENTON P.
DRAPER J, *see* ROBERTS MR.
DREYER I, HOREAU C, LEMAILLET G, ZIMMERMANN S, BUSH DR, RODRÍGUEZ-NAVARRO A, SCHACHTMAN DP, SPALDING EP, SENTENAC H, GABER RF. Identification and characterization of plant transporters using heterologous expression systems 1073
DUDITS D, *see* PERES A.
DUNN MJ, *see* STRANGER A.
DUNSTAN DI, *see* CARRIER DJ.
DURR A, *see* HIRSINGER C.
DYER TA, *see* RAINES CA.
EAMUS D, *see* THOMAS DS.
ECKERT M, BIELA A, SIEFRITZ F, KALDENHOFF R. New aspects of plant aquaporin regulation and specificity (Review article) 1541
Edwards CM, *see* BROWN AMG.
EDWARDS CM, *see* THORPE MR.
EDWARDS GE, *see* VOZNESENSKAYA EV.
EIBLMEIER M, *see* STROHM M.
EISSENSTAT DM, WHALEY EL, VOLDER A, WELLS CE. Recovery of citrus surface roots following prolonged exposure to dry soil 1845
EKLUND L, TILTU A. Cambial activity in 'normal' spruce *Picea abies* Karst (L.) and snake spruce *Picea abies* (L.) Karst f. *virgata* (Jacq.) Rehd in response to ethylene 1489
ELZENGA JTM, *see* WHITE PJ.
EMERICH DW, *see* GREEN LS.
EMES MJ, *see* DEBNAM PM.
EMES MJ, *see* HANKE G.
ENJALBERT J, GOLDRINGER I, PAILLARD S, BRABANT P. Molecular markers to study genetic drift and selection in wheat populations 283
EUN C-H, *see* KOBAYASHI T.
EVANS DE, *see* STEELE-KING CG.
EZURA H, *see* HIGASHI K.
FARRAR JF, *see* BAXTER R.
FARRAR JF, *see* GRANTZ DA.
FAUGERON C, SAKR S, LHERNOULD S, MICHALSKI J-C, DELROT S, MORVAN H. Long-distance transport and metabolism of unconjugated N-glycans in tomato plants 1669
FAYE L, *see* PAGNY S
FEHÉR A, *see* PERES A.
FELLE H, *see* FERNÁNDEZ JA.
FERNÁNDEZ JA, GARCÍA-SÁNCHEZ MJ, FELLE HH. Physiological evidence for a proton pump and sodium exclusion mechanisms at the plasma membrane of the marine angiosperm *Zostera marina* L. 1763
FERROL N, *see* BENABDELLAH K.
FINCH RP, *see* MCROBERTS N.
FISAHN J, *see* KEHR J.
FISAHN J, *see* TAUBERGER E.
FITTER A, *see* ROBINSON D.
FITTER AH, *see* HODGE A.
FITTER AH, *see* STADDON PL.
FITZGERALD MA, UGALDE TD, ANDERSON JW. S nutrition affects the pools of S available to developing grains of wheat 1587
FITZGERALD MA, UGALDE TD, ANDERSON JW. Sulphur nutrition changes the sources of S in vegetative tissues of wheat during generative growth 499
FLECK J, *see* HIRSINGER C.
FLEISCHER-NOTTER H, *see* TAUBERGER E.
FORSYTH JL, PEARSON S, HADLEY P, BARNETT JR. Apical abortion in calabrese is induced by periods of low temperature and results in premature differentiation of apical meristem cells 861
FOURNIER JM, *see* QUINTERO JM.
FOYER C, *see* NGUYEN-QUOC B.
FOYER CH, *see* N'TCHOBO H.
FOYER CH, *see* NOCTOR G.
FRACHEBOUD Y, HALDIMANN P, LEIPNER J, STAMP P. Chlorophyll fluorescence as a selection tool for cold tolerance of photosynthesis in maize (*Zea mays* L.) 1533
FRANCESCHI VR, *see* VOZNESENSKAYA EV.
FRANKLIN KA, *see* ZAVALETA-MANCERA HA.
FREYERMUTH SK, *see* POLACCO JC.
FRIAS J, BAKHSH A, JONES DA, ARTHUR AE, VIDAL-VALVERDE C, RHODES MJC, HEDLEY CL. Genetic analysis of the raffinose oligosaccharide pathway in lentil seeds 469
FRICKER MD, OPARKA KJ. Imaging techniques in plant transport: meeting review 1089
FROMMER W-B, *see* KÜHN C.
GABER RF, *see* DREYER I.
GAEDEKE N, *see* CZEMPINSKI K.
GAFNI Y, *see* KUNIK T.
GALE J, *see* RACHMILEVITCH S.
GALLAGHER TF, *see* BUTLER ED.
GARCIA-GARRIDO JM, *see* BLILOU I.
GARCÍA-SÁNCHEZ MJ, *see* FERNÁNDEZ JA.
GARDNER RC. *see* DONG Y-H.
GAUSLAA Y, SOLHAUG KA. High-light damage in air-dry thalli of the old forest lichen *Lobaria pulmonaria*—interactions of irradiance, exposure duration and high temperature 697
GAVILANES-RUIZ M, *see* BERNAL-LUGO I.
GERENDÁS J, SCHURR U. Physiochemical aspects of ion relations and pH regulation in plants—a quantitative approach (Review article) 1101
GERENDÁS J, *see* POLACCO JC.
GIELEN J, TERRYN N, VILLAROEL R, VAN MONTAGU M. Complete nucleotide sequence of the T-DNA region of the plant tumour-inducing *Agrobacterium tumefaciens* Ti plasmid pTiC58 1421
GODDARD H, *see* BROWNLEE C.
GOJON A, *see* CÁRDENAS-NAVARRO R.
GOLDRINGER I, *see* ENJALBERT J.
GOLDSCHMIDT EE, *see* AKHTAR MS.
GOMORD V, *see* PAGNY S.
GRADMANN D, BOYD CM. Electrophysiology of the marine diatom *Coscinodiscus wailesii*. II. 453
GRADMANN D, *see* BOYD CM.
GRAEBNER B, *see* MOERSCHBACHER BM.
GRAMMATIKOPOULOS G, PETROPOULOU Y, MANETAS Y. Site-dependent differences in transmittance and UV-B-absorbing capacity of isolated leaf epidermes and mesophyll in *Urginea maritima* (L.) Baker 517
GRANTZ DA, FARRAR JF. Acute exposure to ozone inhibits rapid carbon translocation from source leaves of Pima cotton 1253
GREEN LS, EMERICH DW. Light microscopy of early stages in the symbiosis of soybean with a delayed-nodulation mutant of *Bradyrhizobium japonicum* 1577
GRIERSON D, *see* AKHTAR MS.

GRIERSON D, *see* GRIFFITHS A.
GRIFFITH M, *see* CHAN YW.
GRIFFITHS A, BARRY C, ALPUCHE-SOLIS AG, GRIERSON D. Ethylene and developmental signals regulate expression of lipoxygenase genes during tomato fruit ripening 793
GRIFFITHS BS, *see* HODGE A.
GRIFFITHS G, *see* SAYANOVA O.
GRIFFITHS H, *see* BRUDENELL AJP.
GRIMM E, *see* ROTHE K.
GROSSI DE SÁ MF, *see* LIMA CMR.
GURUSINGHE SH, CHENG Z, BRADFORD KJ. Cell cycle activity during seed priming is not essential for germination advancement in tomato 101
GUTIÉRREZ C, *see* PERES A.
HAAG-KERWER A, SCHÄFER HJ, HEISS S, WALTER C, RAUSCH T. Cadmium exposure in *Brassica juncea* causes a decline in transpiration rate and leaf expansion without effect on photosynthesis 1827
HADLEY P, *see* FORSYTH JL.
HAEGMAN M, *see* SMALLE J.
HÄGGMAN H, JOKELA A, KRAJNAKOVA J, KAUPPI A, NIEMI K, ARONEN T. Somatic embryogenesis of Scots pine: cold treatment and characteristics of explants affecting induction 1769
HAISEL D, *see* POSPÍŠILOVÁ J.
HALDIMANN P, *see* FRACHEBOUD Y.
HALDIMANN P. How do changes in temperature during growth affect leaf pigment composition and photosynthesis in *Zea mays* genotypes differing in sensitivity to low temperature? 543
HAMABATA A, *see* BERNAL-LUGO I.
HANAI H, *see* KOBAYASHI T.
HANCOCK JT, *see* DESIKAN R.
HANKE BG, BOWSHER C, JONES MN, TETLOW I, EMES MJ. Proteoliposomes and plant transport proteins (Review article) 1715
HANSEN H, DÖRFFLING K. Changes of free and conjugated abscisic acid and phaseic acid in xylem sap of drought-stressed sunflower plants 1599
HARADA H, *see* SAITOU T.
HARBERD NP, *see* COWLING RJ.
HARE PD, CRESS WA, VAN STADEN J. Proline synthesis and degradation: a model system for elucidating stress-related signal transduction (Review article) 413
HARPER JF, *see* PALMGREN MG.
HARRISON MJ. Biotrophic interfaces and nutrient transport in plant/fungal symbioses 1013
HARTMAN TPV, *see* BROWN AMG.
HARTMANN K, *see* SCHREIBER L.
HÄUSLER RE, KLEINES M, UHRIG H, HIRSCH H-J, SMETS H. Overexpression of phospho*enol*pyruvate carboxylase from *Corynebacterium glutamicum* lowers the CO_2 compensation point (Γ^*) and enhances dark and light respiration in transgenic potato 1231
HAWES C, *see* STEELE-KING CG.
HEDDEN P. Recent advances in gibberellin biosynthesis (Review article) 553
HEDLEY CL, *see* FRIAS J.
HEINO P, *see* BAUDO MM.
HEISS S, *see* HAAG-KERWER A.
HELLGREN O, *see* ZHU L-H.
HEREDIA A, *see* CASADO CG.
HERZOG B, *see* DE MATTOS EA.
HETHERINGTON AM, *see* BROWNLEE C.
HETHERINGTON PR, REYNOLDS TL, MARSHALL G, KIRKWOOD RC. The absorption, translocation and distribution of glyphosate in maize expressing the CP-4 transgene 1567
HETHERINGTON SE, *see* SMILLIE RM.
HIGASHI K, HOSOYA K, EZURA H. Histological analysis of fruit development between two melon (*Cucumis melo* L. *reticulatus*) genotypes setting a different size of fruit 1593
HILL RD, *see* LIU J-H.
HIRASAWA E, *see* YOSHIDA I.
HIRSCH H-J, *see* HÄUSLER RE.
HIRSINGER C, SALVA I, MARBACH J, DURR A, FLECK J, JAMET E. The tobacco extensin gene *Ext 1.4* is expressed in cells submitted to mechanical constraints and in cells proliferating under hormone control 343
HO LC, *see* MARCELIS LFM.
HODGE A, ROBINSON D, GRIFFITHS BS, FITTER AH. Nitrogen capture by plants grown in N-rich organic patches of contrasting size and strength 1243
HOEKSTRA FA, *see* LEPRINCE O.
HOFFMANN-BENNING S, *see* TAUBERGER E.
HOMANN U, *see* WHITE PJ.
HOREAU C, *see* DREYER I.
HORVÁTH GV, *see* PERES A.
HOSOYA K, *see* HIGASHI K.
HUMPHREYS MW, *see* THOMAS H.
HURLEY MB, ROWARTH JS. Resistance to root growth and changes in the concentrations of ABA within the root and xylem sap during root-restriction stress 799
IANNELLI MA, VAN BREUSEGEM F, VAN MONTAGU M, INZÉ D, MASSACCI A. Tolerance to low temperature and paraquat-mediated oxidative stress in two maize genotypes 523
ICHIDA AM, BAIZABAL-AGUIRRE VM, SCHROEDER JI. Genetic selection of inward-rectifying K^+ channel mutants with reduced Cs^+ sensitivity by random recombinant DNA shuffling mutagenesis and mutant selection in yeast 967
IKEDA M, RAHMAN MDH, MORITANI C, UMAMI K, TANIMURA Y, AKAGI R, TANAKA Y, MAESHIMA M, WATANABE Y. A vacuolar K^+-pyrophosphatase in *Acetabularia acetabulum*: molecular cloning and comparison with higher plants and a bacterium 139
INZÉ D, *see* IANNELLI MA.
INZÉ D, *see* VAN BREUSEGEM F.
ISHIOKA N-S, *see* NAKANISHI H.
ITAI A, YOSHIDA K, TANABE K, TAMURA F. A β-D-xylosidase-like gene is expressed during fruit ripening in Japanese peas (*Pyrus pyrifolia* Nakai) 877
JAMES AR, *see* THOMAS H.
JAMET E, *see* HIRSINGER C.
JENKINS ES, *see* WHITELAW CA.
JENKINS GI, *see* SOHAL AK.
JESCHKE WD, *see* PEUKE AD.
JOHN I, *see* AKHTAR MS.
JOKELA A, *see* HÄGGMAN H.
JONES C, *see* PRITCHARD HW.
JONES DA, *see* FRIAS J.
JONES MB, *see* CLIFTON-BROWN JC.
JONES MN, *see* HANKE G.
JOUANIN L, *see* NOCTOR G.
JOUANIN L, *see* STROHM M.
KALDENHOFF R, *see* ECKERT M.
KALUME DE, *see* LIMA CMR.
KAMADA H, *see* KOBAYASHI T.
KAMADA H, *see* SAITOU T.
KATAGIRI T, *see* MIKAMI K.
KAUPPI A, *see* HÄGGMAN H.

KEBREAB E, MURDOCH AJ. A quantitative model for loss of primary dormancy and induction of secondary dormancy in imbibed seeds of *Orobanche* spp. 211
KEBREAB E, MURDOCH AJ. Modelling the effects of water stress and temperature on germination rate of *Orobanche aegyptiaca* seeds 655
KEHR J, WAGNER C, WILLMITZER L, FISAHN J. Effect of modified carbon allocation on turgor, osmolality, sugar and potassium content, and membrane potential in the epidermis of transgenic potato (*Solanum tuberosum* L.) plants 565
KENDALL EJ, *see* CARRIER DJ.
KENTON P, MUR LAJ, DRAPER J. A requirement for calcium and protein phosphatase in the jasmonate-induced increase in tobacco leaf acid phosphatase specific activity 1331
KERMODE AR, *see* REN C.
KERMODE AR, *see* XIA J-H.
KEVRESAN S, *see* PANKOVIĆ D.
KILBY NJ, *see* DAVIES GJ.
KINGSTON-SMITH AH, WALKER RP, POLLOCK CJ. Invertase in leaves: conundrum or control point? (Review article) 735
KINRAIDE TB. Interactions among Ca^+, Na^+ and K^+ in salinity toxicity: quantitative resolution of multiple toxic and ameliorative effects 1495
KIRKWOOD RC, *see* HETHERINGTON PR.
KLEINES M, *see* HÄUSLER RE.
KNEER R, POULEV AA, OLESINSKI A, RASKIN I. Characterization of the elicitor-induced biosynthesis and secretion of genistein from roots of *Lupinus luteus* L. 1553
KOBAYASHI T, EUN C-H, HANAI H, MATSUBAYASHI Y, SAKAGAMI Y, KAMADA H. Phytosulphokine-α, a peptidyl plant growth factor, stimulates somatic embryogenesis in carrot 1123
KOSHIBA T, *see* OMAROV RT.
KOVAČEVIĆ D, *see* QUARRIE SA.
KRAJNAKOVA J, *see* HÄGGMAN H.
KREUZWIESER J, SCHEERER U, RENNENBERG H. Metabolic origin of acetaldehyde emitted by poplar (*Populus tremula* × *P. alba*) trees 757
KÜHN C, BARKER L, BÜRKLE L, FROMMER W-B. Update on sucrose transport in higher plants 935
KUME T, *see* NAKANISHI H.
KUNIK T, MIZRACHY L, CITOVSKY V, GAFNI Y. Characterization of a tomato karyopherin α that interacts with the Tomato Yellow Leaf Curl Virus (TYLCV) capsid protein 731
LANDI P, *see* SANGUINETI MC.
LANGEBARTELS C, *see* STROHM M.
LAURIE SA, *see* CUIN TA.
LAWSON T, WEYERS J. Spatial and temporal variation in gas exchange over the lower surface of *Phaseolus vulgaris* L. primary leaves 1381
LAZAN H, *see* CHIN L-H.
LAZIĆ-JANČIĆ V, *see* QUARRIE SA.
LEA PJ, *see* WINGLER A.
LEE T-M, LIU C-H. Correlation of decreased calcium contents with proline accumulation in the marine green macroalga *Ulva fasciata* exposed to elevated NaCl contents in seawater 1855
LEEGOOD RC, *see* WINGLER A.
LEIGH RA, *see* CUIN TA.
LEIN W, *see* SAALBACH G.
LEIPNER J, *see* FRACHEBOUD Y.
LEMAILLET G, *see* DREYER I.
LEMAIRE G, MILLARD P. An ecophysiological approach to modelling resource fluxes in competing plants 15
LEONARDI A, *see* DE VIENNE D.
LEONARDI A, *see* PRIOUL J-L.
LEPRINCE O, BUITINK J, HOEKSTRA FA. Axes and cotyledons of recalcitrant seeds of *Castanea sativa* Mill. exhibit contrasting responses of respiration to drying in relation to desiccation sensitivity 1515
LEROUGE P, *see* PAGNY S.
LEUBE MP, *see* SERRANO R.
LHERNOULD S, *see* FAUGERON C.
LI J, CHORY J. Brassinosteroid actions in plants (Review article) 275
LIM E-K, *see* ROBERTS MR.
LIMA CMR, GROSSI DE SÁ MF, KALUME DE, ROEPSTORFF P, MORHY L, RICART CAO, SOUSA MV. Cytosolic and nuclear localization of the cytolytic and insecticidal plant protein enterolobin 1743
LIN X, ZIMMERMAN JL. Expression of a globulin-like protein gene, *Gea8*, in somatic and zygotic embryos 1139
LIPS SH, *see* OMAROV RT.
LITVIN P, *see* RIEGER M.
LIU C-H, *see* LEE T-M.
LIU J-H, LUO M, CHENG K-J, MOHAPATRA SS, HILL RD. Identification and characterization of a novel barley gene that is ABA-inducible and expressed specifically in embryo and aleurone 727
LLOYD JC, *see* RAINES CA.
LLUCH C, *see* SOUSSI M.
LOVE AJ, *see* SOHAL AK.
LOWE KC, *see* BROWN AMG.
LU C, ZHANG J. Effects of water stress on photosystem II photochemistry and its thermostability in wheat plants 1199
LUCAS WJ. Plasmodesmata and the cell-to-cell transport of proteins and nucleoprotein complexes 979
LUO M, *see* LIU J-H.
LUO Y, *see* SIMS DA.
LÜTTGE U, *see* DE MATTOS EA.
LYONS T, *see* BARNES J.
MA JF, TAKETA S, CHANG Y-C, TAKEDA K, MATSUMOTO H. Biosynthesis of phytosiderophores in several Triticeae species with different genomes 723
MAATHUIS FJM, *see* WHITE PJ.
MACCAFERRI M, *see* SANGUINETI MC.
MACRAE EA, *see* THORPE MR.
MACROBBIE EAC. Vesicle trafficking: a role in transtonoplast ion movements? 925
MAESHIMA M, *see* IKEDA M.
MANETAS Y, *see* GRAMMATIKOPOULOS G.
MARBACH J, *see* HIRSINGER C.
MARCELIS LFM, HO LC. Blossom-end rot in relation to growth rate and calcium content in fruits of sweet pepper (*Capsicum annuum* L.) 357
MARCOZZI G, *see* DI COLA A.
MARIGO G, *see* PATONNIER MP.
MARQUEZ JA, *see* SERRANO R.
MARSHALL G, *see* HETHERINGTON PR.
MARSHALL G, *see* MCROBERTS N.
MARSHALL JA, *see* BROWN AMG.
MASSACCI A, *see* IANNELLI MA.
MATILE P, *see* AKHTAR MS.
MATSUBAYASHI Y, *see* KOBAYASHI T.
MATSUHASHI S, *see* NAKANISHI H.
MATSUMOTO H, *see.* MA JF

MATSUOKA K, NEUHAUS J-M. *Cis*-elements of protein transport to the vacuoles 165
MAUREL C, *see* TYERMAN SD.
MCNICOL J, *see* MCROBERTS N.
MCROBERTS N, FINCH RP, SINCLAIR W, MEIKLE A, MARSHALL G, MCNICOL J, SQUIRE GR. Assessing the ecological significance of molecular diversity data in natural plant populations 1635
MEIJER HJG, *see* VAN HIMBERGEN JAJ.
MEIKLE A, *see* MCROBERTS N.
MENDIZABAL I, *see* SERRANO R.
MERTENS J, *see* SMALLE J.
MEZA-ZEPEDA LA, *see* BAUDO MM.
MICHALSKI J-C, *see* FAUGERON C.
MIDGLEY GF, WAND SJE, PAMMENTER NW. Nutrient and genotypic effects on CO_2-responsivesness: photosynthetic regulation in *Leucadendron* species of a nutrient-poor environment 533
MIERAU M, *see* MOERSCHBACHER BM.
MIKAMI K, TAKAHASHI S, KATAGIRI T, YAMAGUCHI-SHINOZAKI K, SHINOZAKI K. Isolation of an *Arabidopsis thaliana* cDNA encoding a pleckstrin homology domain protein, a putative homologue of human pleckstrin 729
MILLARD P, *see* LEMAIRE G.
MILLER AJ, *see* CUIN TA.
MILNER JJ, *see* SOHAL AK.
MINCHIN PEH, *see* THORPE MR.
MIZRACHY L, *see* KUNIK T.
MLYNAROVA L, *see* CONNER AJ.
MOENS T, *see* VAN BREUSEGEM F.
MOERSCHBACHER BM, MIERAU M, GRAEBNER B, NOLL U, MORT AJ. Small oligomers of galacturonic acid are endogenous suppressors of disease resistance reactions in wheat leaves 605
MOHAPATRA SS, *see* LIU J-H.
MOLINA-GALÁN J, *see* MORALES A.
MOLLIER A, PELLERIN S. Maize root system growth and development as influenced by phosphorus deficiency 487
MONTALDI E, *see* BARTOLI CG.
MONTESINOS C, *see* SERRANO R.
MORALES A, ORTEGA-DELGADO ML, MOLINA-GALÁN J, SÁNCHEZ DE JIMÉNEZ E. Importance of Rubisco activase in maize productivity based on mass selection procedure 823
MORHY L, *see* LIMA CMR.
MORI S, *see* NAKANISHI H.
MORITANI C, *see* IKEDA M.
MOROHASHI Y, *see* NONOGAKI H.
MORRIS BA, *see* DONG Y-H.
MORT AJ, *see* MOERSCHBACHER BM.
MORVAN H, *see* FAUGERON C.
MORVAN-BERTRAND A, BOUCAUD J, PRUD'HOMME M-P. Influence of initial levels of carbohydrates, fructans, nitrogen, and soluble proteins on regrowth of *Lolium perenne* L. cv. Bravo following defoliation 1817
MOTT KA, SHOPE JC, BUCKLEY TN. Effects of humidity on light-induced stomatal opening: evidence for hydraulic coupling among stomata 1207
MULET JM, *see* SERRANO R.
MÜLLER J, *see* XIE Z-P.
MÜLLER-RÖBER B, *see* CZEMPINSKI K.
MUNNIK T, *see* VAN HIMBERGEN JAJ.
MUR LAJ, *see* KENTON P.
MURDOCH AJ, *see* KEBREAB E.
MURRAY JAH, *see* DAVIES GJ.
MUSGRAVE A, *see* VAN HIMBERGEN JAJ.
N'TCHOBO H, DALI N, NGUYEN-QUOC B, FOYER CH, YELLE S. Starch synthesis in tomato remains constant throughout fruit development and is dependent on sucrose supply and sucrose synthase activity 1457
N'TCHOBO H, *see* NGUYEN-QUOC B.
NADEAU JA, *see* YANG M.
NAGY F, *see* SAALBACH G.
NAKANISHI H, BUGHIO N, MATSUHASHI S, ISHIOKA N-S, UCHIDA H, TSUJI A, OSA A, SEKINE T, KUME T, MORI S. Visualizing real time [^{11}C] methionine translocation in Fe-sufficient and Fe-deficient barley using a Positron Emitting Tracer Imaging System (PETIS) 637
NAP J-P, *see* CONNER AJ.
NAPIER JA, *see* SAYANOVA O.
NASH JV, *see* PRITCHARD HW.
NATURA G, *see* SAALBACH G.
NEILL SJ, *see* DESIKAN R.
NEUHAUS J-M, *see* MATSUOKA K.
NEUMANN S, *see* ROTHE K.
NEWTON PCD, *see* CLARK H.
NGUYEN HT, *see* ZHANG J.
NGUYEN-QUOC B, N'TCHOBO H, FOYER C, YELLE S. Overexpression of sucrose phosphate synthase increases sucrose unloading in transformed tomato fruit 785
NGUYEN-QUOC B, *see* N'TCHOBO H.
NIEMI K, *see* HÄGGMAN H.
NIKLAS KJ. Evolutionary walks through a land plant morphospace 39
NIKLAS KJ. Variations of the mechanical properties of *Acer saccharum* roots 193
NIKOVICS K, *see* PERES A.
NOCTOR G, ARISI A-CM, JOUANIN L, FOYER CH. Photorespiratory glycine enhances glutathione accumulation in both the chloroplastic and cytosolic compartments 1157
NOLL U, *see* MOERSCHBACHER BM.
NONOGAKI H, MOROHASHI Y. Temporal and spatial pattern of the development of the endo-β-mannanase activity in germinating and germinated lettuce seeds 1307
NORERO AL, *see* ALCALDE JA.
OCAMPO JA, *see* BLILOU I.
OCAÑA A, *see* SOUSSI M.
OLESINSKI A, *see* KNEER R.
OMAROV RT, AKABA S, KOSHIBA T, LIPS SH. Aldehyde oxidase in roots, leaves and seeds of barley (*Hordeum vulgare* L.) 63
OPARKA KJ, *see* FRICKER MD.
OPARKA KJ, *see* PRADEL KS.
OPATRNÁ J, *see* BÍLKOVÁ J.
ORTEGA-DELGADO ML, *see* MORALES A.
OSA A, *see* NAKANISHI H.
OUGHAM HJ, *see* ZAVALETA-MANCERA HA.
PADMASREE K, *see* WILLMER CM.
PAGNY S, LEROUGE P, FAYE L, GOMORD V. Signals and mechanisms for protein retention in the endoplasmic reticulum 157
PAILLARD S, *see* ENJALBERT J.
PALMGREN MG, HARPER JF. Pumping with plant P-type ATPases 883
PALVA ET, *see* BAUDO MM.
PAMMENTER NW, *see* MIDGLEY GF.
PANKOVIĆ D, SAKAČ Z, KEVRESAN S, PLESNIČAR M. Acclimation to long-term water deficit in the leaves of two sunflower hybrids: photosynthesis, electron transport and carbon metabolism 127
PARISI M, *see* AMODEO G.
PARKER JS, *see* SABELLI PA.

PASCUAL-AHUIR A, *see* SERRANO R.
PATONNIER MP, PELTIER JP, MARIGO G. Drought-induced increase in xylem malate and mannitol concentrations and closure of *Fraxinus excelsior* L. stomata 1223
PAUL W, *see* WHITELAW CA.
PEAKE L-A, *see* BROWNLEE C.
PEARCY RW, *see* RACHMILEVITCH S.
PEARSON S, *see* FORSYTH JL.
PEKIĆ S, *see* QUARRIE SA.
PELLERIN S, *see* MOLLIER A.
PELLESCHI S, *see* PRIOUL J-L.
PELTIER JP, *see* PATONNIER MP.
PEPPELENBOS HW, *see* DE WILD HPJ.
PERES A, AYAYDIN F, NIKOVICS K, GUTIÉRREZ C, HORVÁTH GV, DUDITS D, FEHÉR A. Partial synchronization of cell division in cultured maize (*Zea mays* L.) cells: differential cyclin, cdc2, histone, and retinoblastoma transcript accumulation during the cell cycle 1373
PETROPOULOU Y, *see* GRAMMATIKOPOULOS G.
PEUKE AD, JESCHKE WD. The characterization of inhibition of net nitrate uptake by salt in salt-tolerant barley (*Hordeum vulgare* L. cv. California Mariout) 1365
PIERRE J-N, *see* COTELLE V.
PLANT AL, *see* CHEN CCS.
PLESNIČAR M, *see* PANKOVIĆ D.
POLACCO JC, FREYERMUTH SK, GERENDÁS J, CIANZIO SR. Soybean genes involved in nickel insertion into urease 1149
POLLE A, *see* STROHM M.
POLLOCK CJ, *see* KINGSTON-SMITH AH.
PORZEL A, *see* ROTHE K.
POSPÍŠILOVÁ J, SYNKOVÁ H, HAISEL D, ČATSKÝ J, WILHELMOVÁ N, ŠRÁMEK F. Effect of elevated CO_2 concentration on acclimation of tobacco plantlets to *ex vitro* conditions 119
POTTOSIN II, *see* BRÜGGEMANN LI.
POULEV AA, *see* KNEER R.
POWER JB, *see* BROWN AMG.
PRADEL KS, ULLRICH CI, SANTA CRUZ S, OPARKA KJ. Symplastic continuity in *Agrobacterium tumefaciens*-induced tumours 183
PRIOUL J-L, PELLESCHI S, SÉNE M, THÉVENOT C, CAUSSE M, DE VIENNE D, LEONARDI A. From QTLs for enzyme activity to candidate genes in maize 1281
PRITCHARD HW, STEADMAN KJ, NASH JV, JONES C. Kinetics of dormancy release and the high temperature germination response in *Aesculus hippocastanum* seeds 1507
PRITCHARD J, *see* WINCH S.
PROFT M, *see* SERRANO R.
PRUD'HOMME M-P, *see* MORVAN-BERTRAND A.
PUNTARULO S, *see* BARTOLI CG.
PURCELL LC, *see* SERRAJ R.
PYANKOV VI, *see* VOZNESENSKAYA EV.
QUARRIE SA, LAZIĆ-JANČIĆ V, KOVAČEVIĆ D, STEED A, PEKIĆ S. Bulk segregant analysis with molecular markers and its use for improving drought resistance in maize 1299
QUINTERO JM, FOURNIER JM, BENLLOCH M. Water transport in sunflower root systems: effects of ABA, Ca^{2+} status and $HgCl_2$ 1607
RACHMILEVITCH S, REUVENI J, PEARCY RW, GALE J. A high level of atmospheric oxygen, as occurred toward the end of the Cretaceous period, increases leaf diffusion conductance 869
RAGHAVENDRA AS, SEE WILLMER CM.
RAHMAN MDH, *see* IKEDA M.
RAIKHEL NV, *see* ZHENG H.
RAINES CA, LLOYD JC, DYER TA. New insights into the structure and function of sedoheptulose-1,7-bisphosphatase; an important but neglected Calvin cycle enzyme (Review article) 1
RAISTRICK N. An automated relative-addition rate nutrient-dosing system for use in flowing solution culture 263
RASKIN I, *see* KNEER R.
RAUSCH T, *see* HAAG-KERWER A.
REA PA. MRP subfamily ABC transporters from plants and yeast 895
REN C, BEWLEY JD. Developmental and germinative events can occur concurrently in precociously germinating Chinese cabbage (*Brassica rapa* ssp. Pekinensis) seeds 1751
REN C, KERMODE AR. Analyses to determine the role of the megagametophyte and other seed tissues in dormancy maintenance of yellow cedar (*Chamaecyparis nootkatensis*) seeds: morphological, cellular and physiological changes during moist chilling and germination 1403
RENNENBERG H, *see* KREUZWIESER J.
RENNENBERG H, *see* STROHM M.
REUVENI J, *see* RACHMILEVITCH S.
REYNOLDS TL, *see* HETHERINGTON PR.
RHODES MJC, *see* FRIAS J.
RICART CAO, *see* LIMA CMR.
RICHARDS MB, *see* CRAMER MD.
RIEGER M, LITVIN P. Root system hydraulic conductivity in species with contrasting root anatomy 201
RIOS G, *see* SERRANO R.
RIOU-KHAMLICHI C, *see* DAVIES GJ.
ROBERTS JA, *see* RUPERTI B.
ROBERTS JA, *see* WHITELAW CA.
ROBERTS MR, WARNER SAJ, DARBY R, LIM E-K, DRAPER J, BOWLES DJ. Differential regulation of a glucosyl transferase gene during defence responses in tobacco 407
ROBIN P, *see* CÁRDENAS-NAVARRO R.
ROBINSON D, FITTER A. The magnitude and control of carbon transfer between plants linked by a common mycorrhizal network 9
ROBINSON D, *see* HODGE A.
ROBINSON D, *see* STADDON PL.
RODONI S, *see* AKHTAR MS.
RODRIGUEZ M, *see* BERNAL-LUGO I.
RODRÍGUEZ-NAVARRO A, *see* DREYER I.
ROEPSTORFF P, *see* LIMA CMR.
ROHRBECK M, *see* SAALBACH G.
ROS R, *see* SERRANO R.
ROSSITER JT, *see* BRUDENELL AJP.
ROTHE K, PORZEL A, NEUMANN S, GRIMM E. Characteristics of the phloem path: analysis and distribution of carbohydrates in the petiole of *Cyclamen* 1807
ROWARTH JS, *see* HURLEY MB.
RUPERTI B, WHITELAW CA, ROBERTS JA. Isolation and expression of an allergen-like mRNA from ethylene-treated *Sambucus nigra* leaflet abscission zones 733
SAALBACH G, NATURA G, LEIN W, BUSCHMANN P, DAHSE I, ROHRBECK M, NAGY F. The α-subunit of a heterotrimeric G-protein from tobacco, NtGPα1, functions in K^+ channel regulation in mesophyll cells 53
Sabelli PA, Parker JS, Barlow PW. cDNA and promoter sequences for *MCM3* homologues from maize, and protein localization in cycling cells 1315
SACK FD, *see* YANG M.
SAITO K, *see* TAKAHASHI H.
SAITOU T, TOKUTOMI S, HARADA H, KAMADA H. Quantitative correlation between the concentration of

photoreactive phytochrome and light-induced formation of adventitious shoots in horse-radish hairy roots 1837
SAKAČ Z, *see* PANKOVIĆ D.
SAKAGAMI Y, *see* KOBAYASHI T.
SAKR S, *see* FAUGERON C.
SALVA I, *see* HIRSINGER C.
SALVI S, *see* SANGUINETI MC.
SÁNCHEZ DE JIMÉNEZ E, *see* MORALES A.
SÁNCHEZ RA, *see* BURGIN MJ.
SANDERMANN H, *see* STROHM M.
SANGUINETI MC, TUBEROSA R, LANDI P, SALVI S, MACCAFERRI M, CASARINI E, CONTI S. QTL analysis of drought-related traits and grain yield in relation to genetic variation for leaf abscisic acid concentration in field-grown maize 1289
SANTA CRUZ S, *see* PRADEL KS.
SATIAT-JEUNEMAITRE B, *see* STEELE-KING CG.
SAYANOVA O, SHEWRY PR, NAPIER JA. Characterization and expression of a fatty acid desaturase from *Borago officinalis* 411
SAYANOVA O, DAVIES GM, SMITH MA, GRIFFITHS G, STOBART AK, SHEWRY PR, NAPIER JA. Accumulation of Δ^6-unsaturated fatty acids in transgenic tobacco plants expressing a Δ^6-desaturase from *Borago officinalis* 1647
SCHACHTMAN DP, *see* DREYER I.
SCHÄFER HJ, *see* HAAG-KERWER A.
SCHEERER U, *see* KREUZWIESER J.
SCHEIBE R, *see* BACKHAUSEN JE.
SCHÖNKNECHT G, *see* BRÜGGEMANN LI.
SCHREIBER L, HARTMANN K, SKRABS M, ZEIER J. Apoplastic barriers in roots: chemical composition of endodermal and hypodermal cell walls (Review article) 1267
SCHROEDER JI, *see* ICHIDA AM.
SCHULTE PJ. Water flow through a 20-pore perforation plate in vessels of *Liquidambar styraciflua* 1179
SCHURR U, *see* GERENDÁS J.
SCHURR U, *see* WALTER A.
SCOPEL AL, *see* APHALO PJ.
SCOTT IM, *see* ZAVALETA-MANCERA HA.
SEEMANN JR, *see* SIMS DA.
SEKINE T, *see* NAKANISHI H.
SÉNE M, *see* PRIOUL J-L.
SENTENAC H, *see* DREYER I.
SERRAJ R, SINCLAIR TR, PURCELL LC. Symbiotic N_2 fixation response to drought (Review article) 143
SERRANO R, MULET JM, RIOS G, MARQUEZ JA, DE LARRINOA IF, LEUBE MP, MENDIZABAL I, PASCUAL-AHUIR A, PROFT M, ROS R, MONTESINOS C. A glimpse of the mechanisms of ion homeostasis during salt stress 1023
SEYMOUR RS, BLAYLOCK AJ. Switching off the heater: influence of ambient temperature on thermoregulation by eastern skunk cabbage *Symplocarpus foetidus* 1525
SEYMOUR RS. Pattern of respiration by intact inflorescences of the thermogenic arum lily *Philodendron selloum* 845
SHARMA R, *see* SINGH A.
SHEWRY PR, *see* SAYANOVA O.
SHINOZAKI K, *see* MIKAMI K.
SHOPE JC, *see* MOTT KA.
SIEBRECHT S, TISCHNER R. Changes in the xylem exudate composition of poplar (*Populus tremula* × *P. alba*)—dependent on the nitrogen and potassium supply 1797
SIEFRITZ F, *see* ECKERT M.
SIMONTACCHI M, *see* BARTOLI CG.
SIMS DA, CHENG W, LUO Y, SEEMANN JR. Photosynthetic acclimation to elevated CO_2 in a sunflower canopy 645
SINCLAIR TR, *see* SERRAJ R.
SINCLAIR W, *see* MCROBERTS N.
SINGH A, TAMIL SELVI M, SHARMA R. Sunlight-induced anthocyanin pigmentation in maize vegetative tissues 1619
SKRABS M, *see* SCHREIBER L.
SLOOTEN L, *see* VAN BREUSEGEM F.
SMALLE J, HAEGMAN M, MERTENS J, VANGRONSVELD J, VAN MONTAGU M, VAN DER STRAETEN D. The expression pattern of the *Arabidopsis* ACC synthase gene 1 during rosette leaf development 1561
SMETS H, *see* HÄUSLER RE.
SMILLIE RM, HETHERINGTON SE, DAVIES WJ. Photosynthetic activity of the calyx, green shoulder, pericarp and locular parenchyma of tomato fruit 707
SMITH JAC, *see* TYERMAN SD.
SMITH MA, *see* SAYANOVA O.
SMITH RM, *see* BROWN AMG.
SOHAL AK, LOVE AJ, CECCHINI E, COVEY SN, JENKINS GI, MILNER JJ. Cauliflower mosaic virus infection stimulates lipid transfer protein gene expression in *Arabidopsis* 1727
SOLHAUG KA, *see* GAUSLAA Y.
SOUSA MV, *see* LIMA CMR.
SOUSSI M, LLUCH C, OCAÑA A. Comparative study of nitrogen fixation and carbon metabolism in two chickpea (*Cicer arietinum* L.) cultivars under salt stress 1701
SPALDING EP, *see* DREYER I.
SPANÒ L, *see* DI COLA A.
SQUIRE GR, *see* MCROBERTS N.
SRÁMEK F, *see* POSPÍŠILOVÁ J.
STADDON PL, FITTER AH, ROBINSON D. Effects of mycorrhizal colonization and elevated atmospheric carbon dioxide on carbon fixation and below-ground carbon partitioning in *Plantago lanceolata* 853
STAEHELIN C, *see* XIE Z-P.
STAIGER CJ, *see* ZONIA L.
STAMP P, *see* FRACHEBOUD Y.
STASSART J-M, *see* VAN BREUSEGEM F.
STEADMAN KJ, *see* PRITCHARD HW.
STEED A, *see* QUARRIE SA.
STEELE-KING CG, EVANS DE, SATIAT-JEUNEMAITRE B, HAWES C. Plant cells show an acquired insensitivity to Brefeldin A 1465
STERLING A, *see* STRANGER A.
STEUDLE E, *see* TYERMAN SD.
STIEKEMA WJ, *see* CONNER AJ.
STOBART AK, *see* SAYANOVA O.
STRANGER A, CORBETT JM, DUNN MJ, TOTTY NF, STERLING A, BOLWELL GP. Identification of developmentally-specific markers in germinating and haustorial stages of *Striga hermonthica* (Del.) Benth. seedlings 269
STROHM M, EIBLMEIER M, LANGEBARTELS C, JOUANIN L, POLLE A, SANDERMANN H, RENNENBERG H. Responses of transgenic poplar (*Populus tremula* × *P. alba*) overexpressing glutathione synthetase or glutathione reductase to acute ozone stress: visible injury and leaf gas exchange 365
SUMMERFIELD RJ, *see* ALCALDE JA.
SUTKA M, *see* AMODEO G.
SYNKOVÁ H, *see* POSPÍŠILOVÁ J.
TAKAHASHI H, ASANUMA W, SAITO K. Cloning of an *Arabidopsis* cDNA encoding a chloroplast localizing sulphate transporter isoform 1713
TAKAHASHI S, *see* MIKAMI K.
TAKEDA K, *see* MA JF.
TAKETA S, *see* MA JF.
TAMBUSSI E, *see* BARTOLI CG.

TAMIL SELVI M, *see* SINGH A.
TAMURA F, *see* ITAI A.
TANABE K, *see* ITAI A.
TANAKA Y, *see* IKEDA M.
TANIMURA Y, *see* IKEDA M.
TAUBERGER E, HOFFMANN-BENNING S, FLEISCHER-NOTTER H, WILLMITZER L, FISAHN J. Impact of invertase overexpression on cell size, starch granule formation and cell wall properties during tuber development in potatoes with modified carbon allocation patterns 477
TAYLOR VM, *see* WHITELAW CA.
TER RIET B, *see* VAN HIMBERGEN JAJ.
TERRYN N, *see* GIELEN J.
TETLOW I, *see* HANKE G.
THÉVENOT C, *see* PRIOUL J-L.
THIEL G, *see* WHITE PJ.
THOMAS BJ, *see* ZAVALETA-MANCERA HA.
THOMAS DS, EAMUS D, BELL D. Optimization theory of stomatal behaviour. I. 385
THOMAS DS, EAMUS D, BELL D. Optimization theory of stomatal behaviour. II. 393
THOMAS DS, EAMUS D. The influence of predawn leaf water potential on stomatal responses to atmospheric water content at constant C_i and on stem hydraulic conductance and foliar ABA concentrations 243
THOMAS H, JAMES AR, HUMPHREYS MW. Effects of water stress on leaf growth in tall fescue, Italian ryegrass and their hybrid: rheological properties of expansion zones of leaves, measured on growing and killed tissue 221
THOMAS H, *see* ZAVALETA-MANCERA HA.
THORPE MR, MACRAE EA, MINCHIN PEH, EDWARDS CM. Galactose stimulation of carbon import into roots is confined to the Poaceae 1613
TILTU A, *see* EKLUND L.
TISCHNER R, *see* SIEBRECHT S.
TOKUTOMI S, *see* SAITOU T.
TOTTY NF, *see* STRANGER A.
TSUJI A, *see* NAKANISHI H.
TUBEROSA R, *see* SANGUINETI MC.
TUNG WL, *see* CHAN YW.
TUPÝ J, *see* ZONIA L.
TYERMAN SD, BOHNERT HJ, MAUREL C, STEUDLE E, SMITH JAC. Plant aquaporins: their molecular biology, biophysics and significance for plant water relations 1055
UCHIDA H, *see* NAKANISHI H.
UGALDE TD, *see* FITZGERALD MA.
UHRIG H, *see* HÄUSLER RE.
ULLRICH CI, *see* PRADEL KS.
UMAMI K, *see* IKEDA M.
VALLEJO A, *see* AMODEO G.
VAN BREUSEGEM F, *see* IANNELLI MA.
VAN BREUSEGEM F, SLOOTEN L, STASSART J-M, BOTTERMAN J, MOENS T, VAN MONTAGU M, INZÉ D. Effects of overproduction of tobacco MnSOD in maize chloroplasts on foliar tolerance to cold and oxidative stress 71
VAN DEN ENDE H, *see* VAN HIMBERGEN JAJ.
VAN DER STRAETEN D, *see* SMALLE J.
VAN HIMBERGEN JAJ, TER RIET B, MEIJER HJG, VAN DEN ENDE H, MUSGRAVE A, MUNNIK T. Mastoparan analogues stimulate phospholipase C- and phospholipase D- activity in *Chlamydomonas*: a comparative study 1735
VAN MONTAGU M, *see* GIELEN J.
VAN MONTAGU M, *see* IANNELLI MA.
VAN MONTAGU M, *see* SMALLE J.
VAN MONTAGU M, *see* VAN BREUSEGEM F.
VAN STADEN J, *see* HARE PD.
VANGRONSVELD J, *see* SMALLE J.
VAVASSEUR A, *see* COTELLE V.
VIDAL-VALVERDE C, *see* FRIAS J.
VILLAROEL R, *see* GIELEN J.
VOLDER A, *see* EISSENSTAT DM.
VOZNESENSKAYA EV, FRANCESCHI VR, PYANKOV VI, EDWARDS GE. Anatomy, chloroplast structure and compartmentation of enzymes relative to photosynthetic mechanisms in leaves and cotyledons of species in the tribe salsoleae (Chenopodiaceae) 1779
WAGNER C, *see* KEHR J.
WALKER RP, *see* KINGSTON-SMITH AH.
WALTER A, SCHURR U. The modular character of growth in *Nicotiana tabacum* plants under steady-state nutrition 1169
WALTER C, *see* HAAG-KERWER A.
WAND SJE, *see* MIDGLEY GF.
WARMENHOVEN M, *see* BUWALDA F.
WARNER SAJ, *see* ROBERTS MR.
WATANABE Y, *see* IKEDA M.
WELANDER M, *see* ZHU L-H.
WELLS CE, *see* EISSENSTAT DM.
WEYERS J, *see* LAWSON T.
WHALEY EL, *see* EISSENSTAT DM.
WHEELER TR, *see* ALCALDE JA.
WHITE PJ, BISKUP B, ELZENGA JTM, HOMANN U, THIEL G, WISSING F, MAATHUIS FJM. Advanced patch-clamp techniques and single-channel analysis 1037
WHITELAM GG, *see* BURGIN MJ.
WHITELAW CA, PAUL W, JENKINS ES, TAYLOR VM, ROBERTS JA. An mRNA encoding a response regulator protein from *Brassica napus* is up-regulated during pod development 335
WHITELAW CA, *see* RUPERTI B.
WIEMKEN A, *see* XIE Z-P.
WILHELMOVÁ N, *see* POSPÍŠILOVÁ J.
WILLMER CM, PADMASREE K, RAGHAVENDRA AS. A novel method of measuring volume changes of mesophyll cell protoplasts and the effect of mercuric chloride on their osmotically-induced swelling 401
WILLMITZER L, *see* KEHR J.
WILLMITZER L, *see* TAUBERGER E.
WINCH S, PRITCHARD J. Acid-induced wall loosening is confined to the accelerating region of the root growing zone 1481
WINGLER A, ANN VJ, LEA PJ, LEEGOOD RC. Serine:glyoxylate aminotransferase exerts no control on photosynthesis 719
WISSING F, *see* WHITE PJ.
WOLTERING EJ, *see* DE WILD HPJ.
XIA J-H, KERMODE AR. Analyses to determine the role of embryo immaturity in dormancy maintenance of yellow cedar (*Chamaecyparis nootkatensis*) seeds: synthesis and accumulation of storage proteins and proteins implicated in desiccation tolerance 107
XIE Z-P, STAEHELIN C, WIEMKEN A, BROUGHTON WJ, MÜLLER J, BOLLER T. Symbiosis-stimulated chitinase isoenzymes of soybean (*Glycine max* (L.) Merr.) 327
YAMAGATA H, *see* YOSHIDA I.
YAMAGUCHI-SHINOZAKI K, *see* MIKAMI K.
YANG M, NADEAU JA, ZHAO L, SACK FD. Characterization of a *cytokinesis defective* (*cyd1*) mutant of *Arabidopsis* 1437
YAO J-L, *see* DONG Y-H.
YELLE S, *see* N'TCHOBO H.
YELLE S, *see* NGUYEN-QUOC B.
YOSHIDA I, YAMAGATA H, HIRASAWA E. Blue- and red-

light regulation and circadian control of gene expression of *S*-adenosylmethionine decarboxylase in *Pharbitis nil* 319
YOSHIDA K, *see* ITAI A.
ZAVALETA-MANCERA HA, FRANKLIN KA, OUGHAM HJ, THOMAS H, SCOTT IM. Regreening of senescent *Nicotiana* leaves. I. 1677
ZAVALETA-MANCERA HA, THOMAS BJ, THOMAS H, SCOTT IM. Regreening of senescent *Nicotiana* leaves. II. 1683
ZEIER J, *see* SCHREIBER L.
ZHANG J, NGUYEN HT, BLUM A. Genetic analysis of osmotic adjustment in crop plants 291
ZHANG J, *see* LU C.
ZHAO L, *see* YANG M.
ZHENG H, BASSHAM DC, DA SILVA CONCEIÇÃO A, RAIKHEL NV. The syntaxin family of proteins in *Arabidopsis*: a new syntaxin homologue shows polymorphism between two ecotypes 915
ZHU L-H, WELANDER M, HELLGREN O. Growth rates and biomass production of micropropagated apple plants of M26 and Gravenstein on their own roots and in different micrografted combinations under non-limiting and limiting nutrient conditions 1189
ZIMMERMAN JL, *see* LIN X.
ZIMMERMANN S, *see* CZEMPINSKI K.
ZIMMERMANN S, *see* DREYER I.
ZIVY M, *see* DE VIENNE D.
ZONIA L, TUPÝ J, STAIGER CJ. Unique actin and microtubule arrays co-ordinate the differentiation of microspores to mature pollen in *Nicotiana tabacum* 581

Keyword Index

ABA
  aquaporins; calcium; exudation rate; *Helianthus annuus*; hydraulic conductivity; sunflower; 1607
  Arabidopsis; cyclic ADP-ribose; proline; pyrroline-5-carboxylate synthetase; signal transduction; stress; 413
  Brassica rapa; Chinese cabbage; stored reserves; precocious germination; seed development; abscisic acid; 1751
  drought stress; quantitative trait locus (QTL); molecular markers; *Zea mays*; abscisic acid; 1289
  Eucalyptus tetrodonta; stomatal sensitivity; transpiration; hydraulic conductance; 243
  polypeptide synthesis; roots; salt stress; 677
ABC transporters
  detoxification; glutathione; vacuolar sequestration; xenobiotics; 895
Abscisic acid
  ABA; *Brassica rapa*; Chinese cabbage; stored reserves; precocious germination; seed development; 1751
  ABA; drought stress; quantitative trait locus (QTL); molecular markers; *Zea mays*; 1289
  aldehyde oxidase; allopurinol; avocado; cytokinin; molybdenum cofactor; tungstate; xanthoxal; 595
  barley aleurone; embryo; gene expression; *Hordeum vulgare*; 727
  cold acclimation; glycine-rich protein; RNA-binding domain; *Solanum* sp.; 1867
  conifer seed development; fatty acids; magnetic resonance microimaging; 1359
  soil resistance; root-restriction stress; dwarfing response; 799
  stomatal guard cell; K^+ channel; Cl^- channel; cytosolic free Ca^{2+} concentration; Ca^{2+} oscillations; membrane voltage; 989
Abscission
  allergens; ethylene; *Sambucus nigra* 733
Absorption
  translocation; source–sink; *Zea mays*; glyphosate (*N*-[phosphonomethyl]glycine); transgenic; 1567
ACC
  Arabidopsis thaliana; ethylene; leaf development; 1561
Acetabularia acetabulum
  inorganic pyrophosphatase; vacuole; H^+-translocation; molecular cloning; 139
Acetaldehyde;
  emission; ethanol; anaerobiosis; *Populus tremula* × *P. alba*; 757
Acid growth
  turgor pressure; osmotic pressure; cell walls; roots; 1481
Actin cytoskeleton
  microtubule cytoskeleton; cytoskeletal inhibitors; microspore development; pollen development; 581
Action potential clamp
  Arabidopsis thaliana; endocytosis; exocytosis; green fluorescent protein (GFP); kinetics; macropatch; permeation; 1037
Adaptation
  evolution; plants; morphospace; relative fitness; 39
  natural selection; dynamic management; wheat; molecular markers; 283
Adventitious rooting
  apple; auxin; dioxygenase; 551
Adventitious shoot formation
  Armoracia; hairy root; light-induction; phytochrome; 1837
Aequorin
  digital imaging; light; green fluorescent protein; confocal microscopy; 1089
Agrobacterium tumefaciens
  carboxyfluorescein; GFP; symplastic phloem unloading; plant tumour; vascular rays; 183
  sequence; T-DNA; 1421
Aldehyde oxidase
  allopurinol; avocado; cytokinin; molybdenum cofactor; tungstate; xanthoxal; abscisic acid; 595
  barley; roots; leaves; seeds; molybdenum cofactor (MoCo); 63
Allergens
  ethylene; *Sambucus nigra* abscission; 733
Allopurinol
  avocado; cytokinin; molybdenum cofactor; tungstate; xanthoxal; abscisic acid; aldehyde oxidase; 595
Amino acids
  photorespiration; transformed poplar; glutathione; γ-glutamyl cysteine; 1157
Ammonium
  diatoms; electrophysiology; nitrate; symport; 461
α-Amylase isozymes
  gene expression; seed ageing; wheat aleurone; gibberellic acid; 311
Anaerobiosis
  Populus tremula × *P. alba*; acetaldehyde; emission; ethanol; 757
Anatomy
  chloroplasts; ultrastructure; Chenopodiaceae; immunolocalization; photosynthetic enzymes; C_4 plants; 1779
Anthocyanin
  UV-B; phytochrome; sunlight; maize; 1619
Antifungal activity
  pathogenesis-related protein; winter rye; *Secale cereale*; low molecular weight thaumatin-like protein; 1627
Antioxidant enzymes
  chilling; paraquat; oxidative stress; *Zea mays*; 523
Antioxidants
  lipid radicals; oxygen radicals; water stress; wheat; 375
  ozone; sulphur dioxide; plant breeding; detoxification; 1423
Antioxidative systems
  glutathione; ozone stress; visible injury; gas exchange; transgenic plants; 365
Antisense
  K^+ channel regulation; *Nicotiana tabacum*; G-protein; cloning; 53
Apical abortion
  apical meristem; blindness; calabrese; 861
Apical meristem
  blindness; calabrese; apical abortion; 861
Apoplast
  Casparian strip; endodermis; hypodermis; lignin; root; transport; suberin; 1267
Apparent kinetic parameters
  barley; *Hordeum vulgare* L.; net nitrate uptake; high affinity transport system (HATS); low affinity transport system (LATS); salt; inhibition; 1365
Apple
  auxin; dioxygenase; adventitious rooting; 551
  cDNA clone; fruit; homeobox gene; ovules; 141
  growth rate; nutrient; rootstock–scion; steady-state; soluble sugars; 1189
Aquaporin
  hydraulic conductivity; major intrinsic protein; osmotic flow; water channel; water permeability; 1055
  regulation; specificity; sensitivity to heavy metal ions; 1541
Aquaporins
  calcium; exudation rate; *Helianthus annuus*; hydraulic conductivity; sunflower; ABA; 1607
  endocytosis; exocytosis; osmosis; protoplasts; 401
  sugar beet; water movements; 509
Arabidopsis
  cell elongation; gibberellin (GA); GA mutants; hypocotyl; 1351
  channel mutants; *Xenopus* oocytes; insect cells; KCO family; 955
  cyclic ADP-ribose; proline; pyrroline-5-carboxylate synthetase; signal transduction; stress; ABA; 413
  H_2O_2; MAP kinase; 1863
Arabidopsis thaliana
  chloroplast; green fluorescent protein; sulphate transporter; 1713
  endocytosis; exocytosis; green fluorescent protein (GFP); kinetics; macropatch; permeation; action potential clamp; 1037
  ethylene; leaf development; ACC; 1561
  pleckstrin; pleckstrin homology (PH) domain; 729
Araceae
  oxygen consumption; heat production; thermogenesis; temperature regulation; 1525
  thermoregulation; thermogenesis; *Philodendron*; arum lily; heat production; oxygen consumption; 845
Arbuscular mycorrhiza
  carbon; common mycorrhizal network; ectomycorrhiza; 9
  Lycopersicon esculentum; microsomes; plasma membrane H^+-ATPase; 1343
  plant defence; resistance; rhizobia; salicylic acid; 1663
Arbuscular mycorrhizal fungi
  down-regulation of photosynthesis; enhanced atmospheric CO_2; respiration; soil carbon; 853
Armoracia
  hairy root; light-induction; phytochrome; adventitious shoot formation; 1837
Arum lily
  heat production; oxygen consumption; Araceae; thermoregulation; thermogenesis; *Philodendron*; 845
Assimilation
  conductance; heterogeneity; infrared gas analysis; photosynthesis; stomata; 1381
AtPEP12p-like protein
  vesicle transport; syntaxin; 915
Auxin
  dioxygenase; adventitious rooting; apple; 551
Averrhoa carambola L.
  cell wall carbohydrates; ripening; softening; wall degrading enzymes; 767
Avocado
  cytokinin; molybdenum cofactor; tungstate; xanthoxal; abscisic acid; aldehyde oxidase; allopurinol; 595
β-D-xylosidase
  fruit ripening; senescence; Japanese pear; 877
β-galactosidase
  ^{11}C; UDP-glucose; epimerase; root elongation; growth inhibition; 1613
Barley
  Hordeum vulgare L.; net nitrate uptake; high affinity transport system (HATS); low affinity transport system (LATS); salt; inhibition; apparent kinetic parameters; 1365
  roots; leaves; seeds; molybdenum cofactor (MoCo); aldehyde oxidase; 63
Barley aleurone
  embryo; gene expression; *Hordeum vulgare*; abscisic acid; 727
Base temperature for germination
  chilling; recalcitrant seed; horse chestnut; seed dormancy; 1507
Biomass
  Nicotiana tabacum; whole plant; total leaf area; leaf growth; growth rate; 1169
Biomass partitioning
  carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; nitrate accumulation; nitrate reduction; nitrate uptake; phosphate deficiency; simulation model; source/sink; turgor; 813
Biomechanics
  plants; roots; trees; wood; 193
Biosynthesis
  genome; phytosiderophore; Triticeae; 723
  signal transduction; dwarf; receptor kinase; brassinosteroid; 275
Biotrophic interface
  symbiosis; nutrient transport; plant/fungal interaction; 1013
Blindness
  calabrese; apical abortion; apical meristem; 861
Blossom-end rot
  calcium; growth rate; pollination; fruit load; *Capsicum annuum* L; sweet pepper; 357

Blue-light receptor
circadian rhythm; phytochrome; *Pharbitis nil*; *S*-adenosylmethionine decarboxylase; 319
Borage
FAD2; fatty acid desaturase; linoleic acid; 411
fatty acid desaturase; γ-linolenic acid; transgenic tobacco; 1647
(*Brady*)*rhizobium*
chitinase isoenzymes; mycorrhiza; (restricted) nodulation; Nod factors; 327
Brassica juncea
gas exchange; chlorophyll fluorescence; growth; phytochelatin; γ-ECS; MT2; cadmium; 1827
Brassica napus
dehiscence; pod shatter; response regulator; signal transduction; 335
Ricimus communis; phloem mobility; glucosinolates; Kleier model; 745
Brassica rapa
Chinese cabbage; stored reserves; precocious germination; seed development; abscisic acid; ABA; 1751
Brassinosteroid
biosynthesis; signal transduction; dwarf; receptor kinase; 275
Breeding
maize; chlorophyll fluorescence; cold tolerance; photosynthesis; 1533
Brefeldin A
Golgi; *Closterium*; secretion; 1323
vesicle trafficking; plant cells; Golgi apparatus; secretory pathway; 1465
Broomrape
seed dormancy; temperature; dormancy model; *Orobanche* spp; 211
Bulk segregant analysis (BSA)
drought resistance; genetic maps; maize; molecular markers; *Zea mays* (L.); 1299
^{11}C
UDP-glucose; epimerase; root elongation; growth inhibition; β-galactosidase; 1613
[^{11}C] methionine
discrimination centre; Fe deficiency; mugineic acid; PETIS; 637
C and N allocation
source-sink relations; conceptual model; whole-plant ecophysiology; competition; 15
C_4 plants
leaf growth; *Miscanthus* × *giganteus*; temperature; vapour pressure deficit; 1393
anatomy; chloroplasts; ultrastructure; Chenopodiaceae; immunolocalization; photosynthetic enzymes; 1779
C_4-photosynthesis
CO_2 compensation point; respiration; transgenic potato; phospho*enol*pyruvate carboxylase; carbon partitioning; 1231
Ca^{2+} oscillations
membrane voltage; abscisic acid; stomatal guard cell; K^+ channel; Cl^- channel; cytosolic free Ca^{2+} concentration; 989
Cadmium
Brassica juncea; gas exchange; chlorophyll fluorescence; growth; phytochelatin; γ-ECS; MT2; 1827
Calabrese
apical abortion; apical meristem; blindness; 861
Calcium
exudation rate; *Helianthus annuus*; hydraulic conductivity; sunflower; ABA; aquaporins; 1607
growth rate; pollination; fruit load; *Capsicum annuum* L; sweet pepper; blossom-end rot; 357
morphogenesis; developmental pathways; second messenger; 1001
NaCl; PDH; proline; *Ulva fasciata*; 1855
potassium; salinity; sodium; toxicity; 1495
CAM
Clusia minor; gas exchange; organic acid; phoinhibition; 253
Cambial activity
ethylene gas; Norway spruce; snake spruce; tracheids; 1489
Candidate gene
maize; drought stress; 2-D PAGE; proteome; QTL; PQL; 303
Candidate genes
QTL; enzyme activity; carbon metabolism; molecular markers; 1281
Capsicum annuum L
sweet pepper; blossom-end rot; calcium; growth rate; pollination; fruit load; 357
Carbohydrate
compartmentation; export; elevated CO_2; nutrients; *Poa alpina* L.; phloem transport; 1215
elevated CO_2; nitrogen; photosynthesis; Proteaceae; 533
Carbohydrates
carbon dioxide; CO_2; light; nitrogen; photosynthesis; Rubisco; *Helianthus annuus*; 645
Carbohydrate accumulation
growth limitation; *Lactuca sativa* L.; nitrate accumulation; nitrate reduction; nitrate uptake; phosphate deficiency; simulation model; source/sink; turgor; biomass partitioning; 813
Carbon
common mycorrhizal network; ectomycorrhiza; arbuscular mycorrhiza; 9
Carbon dioxide
CO_2; light; nitrogen; photosynthesis; Rubisco; *Helianthus annuus*; carbohydrates; 645
Carbon dioxide enrichment
photosynthesis; stomatal conductance; leaf extension rate; 233
Carbon metabolism
malate; chick-pea; salinity; nitrogen fixation; 1701
molecular markers; candidate genes; QTL; enzyme activity; 1281
sucrose phosphate synthase (SPS); starch; sucrose unloading; tomato fruit; 785
Carbon partitioning
C_4-photosynthesis; CO_2 compensation point; respiration; transgenic potato; phospho*enol*pyruvate carboxylase; 1231
Carbon translocation
phloem loading; compartmental efflux analysis; Pima cotton; ozone; 1253
Carboxyfluorescein
GFP; symplastic phloem unloading; plant tumour; vascular rays; *Agrobacterium tumefaciens*; 183
Carotenoids
chlorophyll content and fluorescence; *Nicotiana tabacum*; stomatal conductance; 119
chlorophyll; ripening; senescence; tomato; 1115
chlorophylls; low temperature; photosynthesis; *Zea mays*; 543
Carrot
seed storage protein; somatic embryos; zygotic embryos; *Gea8* gene; 1139
Casparian strip
endodermis; hypodermis; lignin; root; transport; suberin; apoplast; 1267
Castanea sativa
membrane permeability; recalcitrant seed; respiration; viscosity; 1515
Cation channel
magnesium block; *Hordeum vulgare*; patch-clamp; vacuolar membrane; 1547
selectivity; *Hordeum vulgare*; patch-clamp; vacuolar membrane; 873
Caulimovirus
LTP; plant defence response; 1727
cDNA clone
fruit; homeobox gene; ovules; apple; 141
Cell cycle
cell synchronization; gene expression; *Zea mays* L.; 1373
DNA replication; licensing factor; MCM proteins; plant; 1315
germination; seed priming; *Lycopersicon esculentum* Mill; tomato; 101
Cell division
cytokinesis; stomata; 1437
Cell elongation
gibberellin (GA); GA mutants; hypocotyl; *Arabidopsis*; 1351
Cell proliferation
extensin; *Nicotiana tabacum*; promoter; protoplast; 343
fruit development; *Cucumis melo*; 1593
Cell synchronization
gene expression; *Zea mays* L.; cell cycle; 1373
Cell-to-cell communication
companion cell–sieve element complex; protein and RNA transport; symplasmic domains; supracellular control; threshold concentration; viral movement proteins; plasmodesmata; 979
Cell wall carbohydrates
ripening; softening; wall degrading enzymes; *Averrhoa carambola* L.; 767
Cell walls
pectin; suppressor; resistance; wheat; stem rust; 605
roots; acid growth; turgor pressure; osmotic pressure; 1481
Channel mutants
Xenopus oocytes; insect cells; KCO family; *Arabidopsis*; 955
Chenopodiaceae
immunolocalization; photosynthetic enzymes; C_4 plants; anatomy; chloroplasts; ultrastructure; 1779
Chick-pea
salinity; nitrogen fixation; carbon metabolism; malate; 1701
Chilling
paraquat; oxidative stress; *Zea mays*; antioxidant enzymes; 523
recalcitrant seed; horse chestnut; seed dormancy; base temperature for germination; 1507
Chilling stress
oxidative stress; superoxide dismutase; transgenic plants; *Zea mays* L; 71
Chinese cabbage
stored reserves; precocious germination; seed development; abscisic acid; ABA; *Brassica rapa*; 1751
Chitinase isoenzymes
mycorrhiza; (restricted) nodulation; Nod factors; (*Brady*)*rhizobium*; 327
Chlamydomonas
deflagellation; mastopaan; phospholipases C and D; phospholipid metabolism; 1735
Chloride transport
Nitella; tonoplast; vacuolar transport; vesicle trafficking; 925
Chlorophyll
chlorophyll fluorescence; fruit; photosynthesis; tomato; 707
ripening; senescence; tomato; carotenoids; 1115
Chlorophylls
low temperature; photosynthesis; *Zea mays*; carotenoids; 543
Chlorophyll content and fluorescence
Nicotiana tabacum; stomatal conductance; carotenoids; 119
Chlorophyll fluorescence
cold tolerance; photosynthesis; breeding; maize; 1533
fruit; photosynthesis; tomato; chlorophyll; 707
growth; phytochelatin; γ-ECS; MT2; cadmium; *Brassica juncea*; gas exchange; 1827
heat stress; photosystem II photochemistry; water stress; wheat; *Tritium aestivum* L.; 1199
Rubisco; *Helianthus annuus*; drought tolerance; gas exchange; 127
Chloroplast
green fluorescent protein; sulphate transporter; *Arabidopsis thaliana*; 1713
Chloroplasts
cytokinin; *Nicotiana*; senescence; regreening; 1683
ultrastructure; Chenopodiaceae; immunolocalization; photosynthetic enzymes; C_4 plants; anatomy; 1779
Ciceritol
genetics; lentils; raffinose oligosaccharides; α-galactosides; 469
Circadian rhythm
phytochrome; *Pharbitis nil*; *S*-adenosylmethionine decarboxylase; blue-light receptor; 319
Citrus
uptake kinetics; phosphorus uptake; water uptake; sour orange; *Citrus aurantium*; drought; split-root; ^{32}P; 1845
Citrus aurantium
drought; split-root; ^{32}P; citrus; uptake kinetics; phosphorus uptake; water uptake; sour orange; 1845
Cl^- channel
cytosolic free Ca^{2+} concentration; Ca^{2+} oscillations; membrane voltage; abscisic acid; stomatal guard cell; K^+ channel; 989
Cloning
antisense; K^+ channel regulation; *Nicotiana tabacum*; G-protein; 53
Cloning strategies
membrane transporters; transport processes; heterologous expression systems; transport proteins; 1073
Closterium
secretion; Brefeldin A; Golgi; 1323
Clusia minor
gas exchange; organic acid; phoinhibition; CAM; 253
CO_2
light; nitrogen; photosynthesis; Rubisco; *Helianthus annuus*; carbohydrates; carbon dioxide; 645

CO_2 compensation point
respiration; transgenic potato; phospho*enol*pyruvate carboxylase; carbon partitioning; C_4-photosynthesis; 1231
Coat-imposed dormancy
embryo; megagametophyte; nucellar cap; seed germination; yellow cedar; 1403
Cold acclimation
glycine-rich protein; RNA-binding domain; *Solanum* sp.; abscisic acid; 1867
Cold tolerance
photosynthesis; breeding; maize; chlorophyll fluorescence; 1533
Commelina communis L.
guard cell; phospho*enol*pyruvate carboxylase; protein phosphorylation; stomata; 777
Common mycorrhizal network
ectomycorrhiza; arbuscular mycorrhiza; carbon; 9
Companion cell–sieve element complex
protein and RNA transport; symplasmic domains; supracellular control; threshold concentration; viral movement proteins; plasmodesmata; cell-to-cell communication; 979
Companion cells
sucrose; transport; sucrose carriers; proton co-transporters; plasma membrane; sieve elements; 935
Compartmental efflux analysis
Pima cotton; ozone; carbon translocation; phloem loading; 1253
Compartmentation
export; elevated CO_2; nutrients; *Poa alpina* L.; phloem transport; carbohydrate; 1215
pentose phosphate; subcellular; plastid; ribulose 5-phosphate; 1653
sucrose; leaves; invertase; regulation; 735
Competition
C and N allocation; source-sink relations; conceptual model; whole-plant ecophysiology; 15
growth rate; litter decomposition; nutrient retention; plant strategies; 29
informational signals; photomorphogenesis; phytochrome; shade avoidance; 1629
Computer control
hydroponics; relative addition rate; nutrient supply; 263
Conceptual model
whole-plant ecophysiology; competition; C and N allocation; source-sink relations; 15
Conductance
heterogeneity; infrared gas analysis; photosynthesis; stomata; assimilation; 1381
Confocal microscopy
aequorin; digital imaging; light; green fluorescent protein; 1089
Conifer seed development
fatty acids; magnetic resonance microimaging; abscisic acid; 1359
Cortex
drought; water transport; root hydraulics; endodermis; exodermis; hypodermis; 201
Coscinodiscus
current–voltage relationships; diatoms; inward rectification; phytoplankton; potassium selectivity; 453
Cretaceous
palaeo-atmosphere; stomata; oxygen; 869
Cucumis melo
cell proliferation; fruit development; 1593
Current–voltage relationships
diatoms; inward rectification; phytoplankton; potassium selectivity; *Coscinodiscus*; 453
Cyclamen
transport; sucrose; planteose; fructose; glucose; 1807
Cyclic ADP-ribose
proline; pyrroline-5-carboxylate synthetase; signal transduction; stress; ABA; *Arabidopsis*; 413
Cytokinesis
stomata; cell division; 1437
Cytokinin
legumes; lupin; phloem; translocation; 805
light-harvesting chlorophyll *a*/*b*-binding protein; protochlorophyllide oxidoreductase; *Nicotiana*; senescence; 1677
molybdenum cofactor; tungstate; xanthoxal; abscisic acid; aldehyde oxidase; allopurinol; avocado; 595
Nicotiana; senescence; regreening; chloroplasts; 1683
Cytolytic protein
immunocytolocalization; nuclear localization signal; *Enterolobium contortisiliquum*; plant cytolysin; 1743
Cytoplasmic pH
membrane potential; sodium permeability; *Zostera*; H^+-ATPase; 1763
Cytoskeletal inhibitors
microspore development; pollen development; actin cytoskeleton; microtubule cytoskeleton; 581
Cytosolic free Ca^{2+} concentration
Ca^{2+} oscillations; membrane voltage; abscisic acid; stomatal guard cell; K^+ channel; Cl^- channel; 989
Daucus carota
plant growth factor; somatic embryogenesis; sulphated peptide; 1123
Day/night cycle
solution nitrate; plant nitrate; influx kinetics; hydroponics; 625
Decomposition
Lolium perenne; L-lysine patches; N capture; microbial activity; 1243
Deflagellation
mastopaan; phospholipases C and D; phospholipid metabolism; *Chlamydomonas*; 1735
Defoliation
regrowth; ryegrass; fructans; nitrogen reserve; 1817
Dehiscence
pod shatter; response regulator; signal transduction; *Brassica napus*; 335
Dehydrins
α-TiP; embryo; megagametophyte; seed development; yellow cedar; storage proteins; 107
Detoxification
antioxidants; ozone; sulphur dioxide; plant breeding; 1423
glutathione; vacuolar sequestration; xenobiotics; ABC transporters; 895
Development
starch; osmotic pressure; water potential; potato; tuber; 477
Developmental pathways
second messenger; calcium; morphogenesis; 1001
Diatoms
electrophysiology; nitrate; symport; ammonium; 461
inward rectification; phytoplankton; potassium selectivity; *Coscinodiscus*; current–voltage relationships; 453
marine algae; membrane resistance; membrane voltage; 445
Dicotyledons;
maximum axial root growth pressure; mechanical impedance; monocotyledons; shear beam apparatus; 1263
Digital imaging
light; green fluorescent protein; confocal microscopy; aequorin; 1089
Dioxygenase
adventitious rooting; apple; auxin; 551
Discrimination centre
Fe deficiency; mugineic acid; PETIS; [^{11}C] methionine; 637
DNA replication
licensing factor; MCM proteins; plant; cell cycle; 1315
Dormancy model
Orobanche spp; broomrape; seed dormancy; temperature; 211
Down-regulation of photosynthesis
enhanced atmospheric CO_2; respiration; soil carbon; arbuscular mycorrhizal fungi; 853
2-D PAGE
proteome; QTL; PQL; candidate gene; maize; drought stress; 303
Drought
split-root; ^{32}P; citrus; uptake kinetics; phosphorus uptake; water uptake; sour orange; *Citrus aurantium*; 1845
water transport; root hydraulics endodermis; exodermis; hypodermis; cortex; 201
Drought resistance
genetic maps; maize; molecular markers; *Zea mays* (L.); bulk segregant analysis (BSA); 1299
Drought stress
2-D PAGE; proteome; QTL; PQL; candidate gene; maize; 303
legumes; nodule; symbiotic N_2 fixation; 143
quantitative trait locus (QTL); molecular markers; *Zea mays*; abscisic acid; ABA; 1289
Drought tolerance
gas exchange; chlorophyll fluorescence; Rubisco; *Helianthus annuus*; 127
Dual pollen staining
light-regulated promoter; pollen expression; pollen segregation; transgene biosafety; 1471
Dwarf
receptor kinase; brassinosteroid; biosynthesis; signal transduction; 275
Dwarfing response
abscisic acid; soil resistance; root-restriction stress; 799
Dynamic management
wheat; molecular markers; adaptation; natural selection; 283
Dynamics
molecular diversity; population diversity; ecophysiological traits; natural plant communities; 1635
Ecophysiological traits
natural plant communities; dynamics; molecular diversity; population diversity; 1635
Ectomycorrhiza
arbuscular mycorrhiza; carbon; common mycorrhizal network; 9
γ-ECS
MT2; cadmium; *Brassica juncea*; gas exchange; chlorophyll fluorescence; growth; phytochelatin; 1827
Elastic compliance
plastic compliance; leaf growth; leaf extension rate; extensibility; extension coefficient; hydraulic conductance; 221
Electrical neutrality
membrane potential; pH regulation; phloem sap; SID; xylem sap; 1101
Electrophysiology
nitrate; symport; ammonium; diatoms; 461
Elevated CO_2
growth; PEPc; photosynthesis; salinity; 79
malate valve; transgenic tobacco plants; regulation of photosynthesis; redox state; 665
nitrogen; photosynthesis; Proteaceae; carbohydrate; 533
Poa alpina L.; phloem transport; carbohydrate; compartmentation; export; nutrients; 1215
Elicitation
exudation; genistein; isoflavonoids; *Lupinus luteus*; 1553
Embryo
gene expression; *Hordeum vulgare*; abscisic acid; barley aleurone; 727
megagametophyte; nucellar cap; seed germination; yellow cedar; coat-imposed dormancy; 1403
megagametophyte; seed development; yellow cedar; storage proteins; dehydrins; α-TiP; 107
Emission
ethanol; anaerobiosis; *Populus tremula* × *P. alba*; acetaldehyde; 757
Endo-β-mannanase
Lactuca sativa; lettuce; seed germination; tissue printing; 1307
Endocytosis
exocytosis; green fluorescent protein (GFP); kinetics; macropatch; permeation; action potential clamp; *Arabidopsis thaliana*; 1037
exocytosis; osmosis; protoplasts; aquaporins; 401
Endodermis
exodermis; hypodermis; cortex; drought; water transport; root hydraulics; 201
hypodermis; lignin; root; transport; suberin; apoplast; Casparian strip; 1267
Endoplasmic reticulum
plant; retention signal; soluble proteins; membrane proteins; 157
Enhanced atmospheric CO_2
respiration; soil carbon; arbuscular mycorrhizal fungi; down-regulation of photosynthesis; 853
Enterolobium contortisiliquum
plant cytolysin; cytolytic protein; immunocytolocalization; nuclear localization signal; 1743
Enzyme activity
carbon metabolism; molecular markers; candidate genes; QTL; 1281
Epidermal transmittance
Urginea maritima; exposure; UV-B-absorbing compounds; 517
Epimerase
root elongation; growth inhibition; β-galactosidase; ^{11}C; UDP-glucose; 1613

ER
tonoplast; proton pump; transport; P-type ATPases; plasma membrane; 883
Ethanol
anaerobiosis; *Populus tremula* × *P. alba*; acetaldehyde; emission; 757
Ethylene
fruit ripening; gene expression; tomato mutants; lipoxygenase; 793
leaf development; ACC; *Arabidopsis thaliana*; 1561
Sambucus nigra; abscission; allergens; 733
Ethylene gas
Norway spruce; snake spruce; tracheids; cambial activity; 1489
Eucalyptus tetrodonta
stomatal sensitivity; transpiration; hydraulic conductance; ABA; 243
Evolution
plants; morphospace; relative fitness; adaptation; 39
Exocytosis
green fluorescent protein (GFP); kinetics; macropatch; permeation; action potential clamp; *Arabidopsis thaliana*; endocytosis; 1037
osmosis; protoplasts; aquaporins; endocytosis; 401
Exodermis
hypodermis; cortex; drought; water transport; root hydraulics; endodermis; 201
Export
elevated CO_2; nutrients; *Poa alpina* L.; phloem transport; carbohydrate; compartmentation; 1215
Exposure
UV-B-absorbing compounds; epidermal transmittance; *Urginea maritima*; 517
Extensibility
extension coefficient; hydraulic conductance; elastic compliance; plastic compliance; leaf growth; leaf extension rate; 221
Extensin
Nicotiana tabacum; promoter; protoplast; cell proliferation; 343
Extension coefficient
hydraulic conductance; elastic compliance; plastic compliance; leaf growth; leaf extension rate; extensibility; 221
Exudation
genistein; isoflavonoids; *Lupinus luteus*; elicitation; 1553
Exudation rate
Helianthus annuus; hydraulic conductivity; sunflower; ABA; aquaporins; calcium; 1607
FAD2
fatty acid desaturase; linoleic acid; borage; 411
Fatty acid desaturase
linoleic acid; borage; *FAD2*; 411
γ-linolenic acid; transgenic tobacco; borage; 1647
Fatty acids
magnetic resonance microimaging; abscisic acid; conifer seed development; 1359
Fe deficiency
mugineic acid; PETIS; [^{11}C] methionine; discrimination centre; 637
Feverfew
tansy; sexual hybridization; parthenolide; novel compounds; 435
Flooding stress
hypoxia; N source; nitrogen fixation; soybean; *Glycine max*; 689
Flowering genes
Maturity Classes; models; temperature; photoperiod; 1691
FLP recombinase
site-specific recombination; tobacco; gene activation; inducible gene expression; 1447
Fraxinus excelsior L.
malate; mannitol; xylem sap; stomata; water deficit; 1223
Free and conjugated abscisic acid
free and conjugated phaseic acid; water stress; sunflower; xylem sap; 1599
Free and conjugated phaseic acid
water stress; sunflower; xylem sap; free and conjugated abscisic acid; 1599
Fructans
nitrogen reserve; defoliation; regrowth; ryegrass; 1817
Fructose
glucose; *Cyclamen*; transport; sucrose; planteose; 1807
Fruit
homeobox gene; ovules; apple; cDNA clone; 141
photosynthesis; tomato; chlorophyll; chlorophyll fluorescence; 707
Fruit development
Cucumis melo; cell proliferation; 1593
Fruit load
Capsicum annuum L; sweet pepper; blossom-end rot; calcium; growth rate; pollination; 357
Fruit ripening
gene expression; tomato mutants; lipoxygenase; ethylene; 793
senescence; Japanese pear; β-D-xylosidase; 877
G-protein
cloning; antisense; K^+ channel regulation; *Nicotiana tabacum*; 53
GA mutants
hypocotyl; *Arabidopsis*; cell elongation; gibberellin (GA); 1351
α-Galactosides
ciceritol; genetics; lentils; raffinose oligosaccharides; 469
Gas exchange
chlorophyll fluorescence; growth; phytochelatin; γ-ECS; MT2; cadmium; *Brassica juncea*; 1827
chlorophyll fluorescence; Rubisco; *Helianthus annuus*; drought tolerance; 127
organic acid; phoinhibition; CAM; *Clusia minor*; 253
transgenic plants; antioxidative systems; glutathione; ozone stress; visible injury; 365
Gas exchange models
inhibition; Michaelis-Menten kinetics; pear; *Pyrus communis* L.; 837
Gea8 gene
carrot; seed storage protein; somatic embryos; zygotic embryos; 1139
Gene activation
inducible gene expression; FLP recombinase; site-specific recombination; tobacco; 1447
Gene expression
Hordeum vulgare; abscisic acid; barley aleurone; embryo; 727
photosynthesis; primary carbon metabolism; redox regulation; SBPase; structure; transgenic plants; 1
seed ageing; wheat aleurone; gibberellic acid; α-amylase isozymes; 311
tomato mutants; lipoxygenase; ethylene; fruit ripening; 793
Zea mays L.; cell cycle; cell synchronization; 1373
Genetic engineering
molecular marker; osmotic adjustment; quantitative trait loci (QTL); 291
Genetic manipulation
gibberellin biosynthesis; plant development; regulation; 553
Genetic maps
maize; molecular markers; *Zea mays* (L.); bulk segregant analysis (BSA); drought resistance; 1299
Genetics
lentils; raffinose oligosaccharides; α-galactosides; ciceritol; 469
Genistein
isoflavonoids; *Lupinus luteus*; elicitation; exudation; 1553
Genome
phytosiderophore; Triticeae; biosynthesis; 723
Germination
seed priming; *Lycopersicon esculentum* Mill; tomato; cell cycle; 101
Germination models
seed priming; temperature; water potential; *Lycopersicon esculentum* Mill; tomato seeds; 89
Germination rate
hydrothermal time models; water stress; temperature; *Orobanche aegyptiaca*; 655
GFP
symplastic phloem unloading; plant tumour; vascular rays; *Agrobacterium tumefaciens*; carboxyfluorescein; 183
Gibberellic acid
α-amylase isozymes; gene expression; seed ageing; wheat aleurone; 311
Gibberellin (GA)
GA mutants; hypocotyl; *Arabidopsis*; cell elongation; 1351
Gibberellin biosynthesis
plant development; regulation; genetic manipulation; 553
Glucose
Cyclamen; transport; sucrose; planteose; fructose; 1807
Glucosinolates
Kleier model; *Brassica napus*; *Ricinus communis*; phloem mobility; 745
Glucosyl transferase
plant defence; signalling; 407
γ-Glutamyl cysteine
amino acids; photorespiration; transformed poplar; glutathione; 1157
Glutathione
γ-glutamyl cysteine; amino acids; photorespiration; transformed poplar; 1157
grain sulphur; protein sulphur; sulphate; sulphur nutrition; sulphur sinks; sulphur sources; wheat; 1587
ozone stress; visible injury; gas exchange; transgenic plants; antioxidative systems; 365
vacuolar sequestration; xenobiotics; ABC transporters; detoxification; 895
Glycine max
flooding stress; hypoxia; N source; nitrogen fixation; soybean; 689
Glycine-rich protein
RNA-binding domain; *Solanum* sp.; abscisic acid; cold acclimation; 1867
Glyphosate (*N*-[phosphonomethyl]glycine)
transgenic; absorption; translocation; source–sink; *Zea mays*; 1567
Golgi
Closterium; secretion; Brefeldin A; 1323
Golgi apparatus
secretory pathway; Brefeldin A; vesicle trafficking; plant cells; 1465
Grain sulphur
protein sulphur; sulphate; sulphur nutrition; sulphur sinks; sulphur sources; wheat; glutathione; 1587
protein sulphur; sulphur nutrition; sulphur sinks; sulphur sources; wheat; 499
Grape cuticle
oleanolic acid; *Vitis vinifera*; waxes; structure; 175
Green fluorescent protein (GFP)
kinetics; macropatch; permeation; Action potential clamp; *Arabidopsis thaliana*; endocytosis; exocytosis; 1037
confocal microscopy; aequorin; digital imaging; light; 1089
sulphate transporter; *Arabidopsis thaliana*; chloroplast; 1713
Growth
PEPc; photosynthesis; salinity; elevated CO_2; 79
phytochelatin; γ-ECS; MT2; cadmium; *Brassica juncea*; gas exchange; chlorophyll fluorescence; 1827
Growth inhibition
β-galactosidase; ^{11}C; UDP-glucose; epimerase; root elongation; 1613
Growth limitation
Lactuca sativa L.; nitrate accumulation; nitrate reduction; nitrate uptake; phosphate deficiency; simulation model; source/sink; turgor; biomass partitioning; carbohydrate accumulation; 813
Growth rate
biomass; *Nicotiana tabacum*; whole plant; total leaf area; leaf growth; 1169
litter decomposition; nutrient retention; plant strategies; competition; 29
nutrient; rootstock–scion; steady-state; soluble sugars; apple; 1189
pollination; fruit load; *Capsicum annuum* L; sweet pepper; blossom-end rot; calcium; 357
Guard cell
phospho*enol*pyruvate carboxylase; protein phosphorylation; stomata; *Commelina communis* L.; 777
Gymnosperms
phytochrome; high irradiance response; 831
H^+-ATPase
cytoplasmic pH; membrane potential; sodium permeability; *Zostera*; 1763
H^+-translocation
molecular cloning; *Acetabularia acetabulum*; inorganic pyrophosphatase; vacuole; 139
H_2O_2
MAP kinase; *Arabidopsis*; 1863
Haematoxylin
symbiosis; soybean; nodulation; light microscopy; 1577
Hairy root
light-induction; phytochrome; adventitious shoot formation; *Armoracia*; 1837

Heat production
oxygen consumption; Araceae; thermoregulation; thermogenesis; *Philodendron*; arum lily; 845
thermogenesis; temperature regulation; Araceae; oxygen consumption; 1525
Heat stress
photosystem II photochemistry; water stress; wheat; *Tritium aestivum* L.; chlorophyll fluorescence; 1199
poikilohydric organisms; reciprocity; lichens; high-light damage; 697
Helianthus annuus
carbohydrates; carbon dioxide; CO_2; light; nitrogen; photosynthesis; Rubisco; 645
drought tolerance; gas exchange; chlorophyll fluorescence; Rubisco; 127
hydraulic conductivity; sunflower; ABA; aquaporins; calcium; exudation rate; 1607
Heterogeneity
infrared gas analysis; photosynthesis; stomata; assimilation; conductance; 1381
Heterologous expression systems
transport proteins; cloning strategies; membrane transporters; transport processes; 1073
High affinity transport system (HATS)
low affinity transport system (LATS); salt; inhibition; apparent kinetic parameters; barley; *Hordeum vulgare* L. net nitrate uptake; 1365
High irradiance response
gymnosperms; phytochrome; 831
High-light damage
heat stress; poikilohydric organisms; reciprocity; lichens; 6971
Histochemical tests
image analysis; non-specific esterase; polyphenols; scanning electron microscopy; 1129
Histochemistry
Pinus sylvestris; vegetative propagation; zygotic embryo; megagametophyte; 1769
Homeobox gene
ovules; apple; cDNA clone; fruit; 141
Homoeostasis
nitrate content; water content; 613
Hordeum vulgare
abscisic acid; barley aleurone; embryo; gene expression; 727
patch-clamp; vacuolar membrane; cation channel; selectivity; 873
patch-clamp; vacuolar membrane; cation channel; magnesium block; 1547
Hordeum vulgare L.
net nitrate uptake; high affinity transport system (HATS); low affinity transport system (LATS); salt; inhibition; apparent kinetic parameters; barley; 1365
Horse chestnut
seed dormancy; base temperature for germination; chilling; recalcitrant seed; 1507
Humidity
light; patchy; hydraulic; turgor; stomata; 1207
Hydraulic
turgor; stomata; humidity; light; patchy; 1207
Hydraulic conductance
ABA; *Eucalyptus tetrodonta*; stomatal sensitivity; transpiration; 243
elastic compliance; plastic compliance; leaf growth; leaf extension rate; extensibility; extension coefficient; 221
Hydraulic conductivity
major intrinsic protein; osmotic flow; water channel; water permeability; aquaporin; 1055
sunflower; ABA; aquaporins; calcium; exudation rate; *Helianthus annuus*; 1607
Hydroponics
day/night cycle; solution nitrate; plant nitrate; influx kinetics; 625
relative addition rate; nutrient supply; computer control; 263
Hydrothermal time models
water stress; temperature; *Orobanche aegyptiaca*; germination rate; 655
Hypocotyl
Arabidopsis; cell elongation; gibberellin (GA); GA mutants; 1351
Hypodermis
cortex; drought; water transport; root hydraulics; endodermis; exodermis; 201
lignin; root; transport; suberin; apoplast; Casparian strip; endodermis; 1267
Hypoxia
N source; nitrogen fixation; soybean; *Glycine max*; flooding stress; 689
Image analysis
non-specific esterase; polyphenols; scanning electron microscopy; histochemical tests; 1129
Immunocytolocalization
nuclear localization signal; *Enterolobium contortisiliquum*; plant cytolysin; cytolytic protein; 1743
Immunolocalization
photosynthetic enzymes; C_4 plants; anatomy; chloroplasts; ultrastructure; Chenopodiaceae; 1779
Inducible gene expression
FLP recombinase; site-specific recombination; tobacco; gene activation; 1447
Influx kinetics
hydroponics; day/night cycle; solution nitrate; plant nitrate; 625
Informational signals
photomorphogenesis; phytochrome; shade avoidance; competition; 1629
Infrared gas analysis
photosynthesis; stomata; assimilation; conductance; heterogeneity; 1381
Inhibition
apparent kinetic parameters; barley; *Hordeum vulgare* L.; net nitrate uptake; high affinity transport system (HATS); low affinity transport system (LATS); salt; 1365
Michaelis-Menten kinetics; pear; *Pyrus communis* L.; gas exchange models; 837
Inorganic pyrophosphatase
vacuole; H^+-translocation; molecular cloning; *Acetabularia acetabulum*; 139
Insect cells
KCO family; *Arabidopsis*; channel mutants; *Xenopus* oocytes; 955
Invertase
regulation; compartmentation; sucrose; leaves; 735
sucrose synthase; sucrose turnover; sucrose unloading; tomato fruit; 1457
Inward rectification
phytoplankton; potassium selectivity; *Coscinodiscus*; current–voltage relationships; diatoms; 453
Inward rectifier
ion channel; recombinant PCR; yeast complementation; KAT1; 967
Ion channel
recombinant PCR; yeast complementation; KAT1; inward rectifier; 967
Isoflavonoids
Lupinus luteus; elicitation; exudation; genistein; 1553
Japanese pear
β-D-xylosidase; fruit ripening; senescence; 877
Jasmonate
signalling; wounding; pathogenesis; 1331
K^+ channel
Cl^- channel; cytosolic free Ca^{2+} concentration; Ca^{2+} oscillations; membrane voltage; abscisic acid; stomatal guard cell; 989
K^+ channel regulation
Nicotiana tabacum; G-protein; cloning; antisense; 53
Karyopherin α
TYLCV; *Lycopersicon esculentum*; 731
KAT1
inward rectifier; ion channel; recombinant PCR; yeast complementation; 967
KCO family
Arabidopsis; channel mutants; *Xenopus* oocytes; insect cells; 955
Kinetics
macropatch; permeation; Action potential clamp; *Arabidopsis thaliana*; endocytosis; exocytosis; green fluorescent protein (GFP); 1037
Kleier model
Brassica napus; *Ricinus communis*; phloem mobility; glucosinolates; 745
L-lysine patches
N capture; microbial activity; decomposition; *Lolium perenne*; 1243
Lactuca sativa L.
nitrate accumulation; nitrate reduction; nitrate uptake; phosphate deficiency; simulation model; source/sink; turgor; biomass partitioning; carbohydrate accumulation; growth limitation; 813
lettuce; seed germination; tissue printing; endo-β-mannanase; 1307
Leaf development
ACC; *Arabidopsis thaliana*; ethylene; 1561
Leaf epidermis
potassium activity; potassium-selective microelectrodes; vacuoles; nitrate interference; m1709
Leaf extension rate
carbon dioxide enrichment; photosynthesis; stomatal conductance; 233
extensibility; extension coefficient; hydraulic conductance; elastic compliance; plastic compliance; leaf growth; 221
Leaf growth
growth rate; biomass; *Nicotiana tabacum*; whole plant; total leaf area; 1169
leaf extension rate; extensibility; extension coefficient; hydraulic conductance; elastic compliance; plastic compliance; 221
Miscanthus × *giganteus*; temperature; vapour pressure deficit; C_4 plants; 1393
Leaves
invertase; regulation; compartmentation; sucrose; 735
seeds; molybdenum cofactor (MoCo); aldehyde oxidase; barley; roots; 63
Legumes
lupin; phloem; translocation; cytokinin; 805
nodule; symbiotic N_2 fixation; drought stress; 143
Lentils
raffinose oligosaccharides; α-galactosides; ciceritol; genetics; 469
Lettuce
seed germination; tissue printing; endo-β-mannanase; *Lactuca sativa*; 1307
Licensing factor
MCM proteins; plant; cell cycle; DNA replication; 1315
Lichen
high-light damage; heat stress; poikilohydric organisms; reciprocity; 697
Light
green fluorescent protein; confocal microscopy; aequorin; digital imaging; 1089
nitrogen; photosynthesis; Rubisco; *Helianthus annuus*; carbohydrates; carbon dioxide; CO_2; 645
patchy; hydraulic; turgor; stomata; humidity; 1207
Light microscopy
haematoxylin; symbiosis; soybean; nodulation; 1577
Light-harvesting chlorophyll *a*/*b*-binding protein
protochlorophyllide oxidoreductase; *Nicotiana*; senescence; cytokinin; 1677
Light-induction
phytochrome; adventitious shoot formation; *Armoracia*; hairy root; 1837
Light-regulated promoter
pollen expression; pollen segregation; transgene biosafety; dual pollen staining; 1471
Lignin
root; transport; suberin; apoplast; Casparian strip; endodermis; hypodermis; 1267
Linoleic acid
borage; *FAD2*; fatty acid desaturase; 411
γ-Linolenic acid
transgenic tobacco; borage; fatty acid desaturase; 1647
Lipid radicals
oxygen radicals; water stress; wheat; antioxidants; 375
Lipid transfer protein
superoxide dismutase; *Striga hermonthica* (Del.) Benth; microsequencing; nodulin; 269
Liposomes
surfactants; membrane solubilization; membrane protein reconstitution; 1715
Lipoxygenase
ethylene; fruit ripening; gene expression; tomato mutants; 793
Litter decomposition
nutrient retention; plant strategies; competition; growth rate; 29
Lolium perenne
L-lysine patches; N capture; microbial activity; decomposition; 1243
Long-distance transport
tomato; *Lycopersicon esculentum*; Mill.; unconjugated N-glycans; oligosaccharide; 1669

Low affinity transport system (LATS)
salt; inhibition; apparent kinetic parameters; barley; *Hordeum vulgare* L.; net nitrate uptake; high affinity transport system (HATS); 1365
Low molecular weight thaumatin-like protein
antifungal activity; pathogenesis-related protein; winter rye; *Secale cereale*; 1627
Low temperature
photosynthesis; *Zea mays*; carotenoids; chlorophylls; 543
LTP
plant defence response; Caulimovirus; 1727
Luffa cylindrica L. Roem
luffin; ribosome-inactivating proteins (RIPs); secretory proteins; subcellular compartmentation; 573
Luffin
ribosome-inactivating proteins (RIPs); secretory proteins; subcellular compartmentation; *Luffa cylindrica* L. Roem; 573
Lupin
phloem; translocation; cytokinin; legumes; 805
Lupinus luteus
elicitation; exudation; genistein; isoflavonoids; 1553
Lycopersicon esculentum
karyopherin α; TYLCV; 731
microsomes; plasma membrane H^+-ATPase; arbuscular mycorrhiza; 1343
Lycopersicon esculentum Mill
tomato seeds; germination models; seed priming; temperature; water potential; 89
tomato; cell cycle; germination; seed priming; 101
unconjugated N-glycans; oligosaccharide; long-distance transport; tomato; 1669
Macropatch
permeation; action potential clamp; *Arabidopsis thaliana*; endocytosis; exocytosis; green fluorescent protein (GFP); kinetics; 1037
Magnesium block
Hordeum vulgare; patch-clamp; vacuolar membrane; cation channel; 1547
Magnetic resonance microimaging
abscisic acid; conifer seed development; fatty acids; 1359
Maize
anthocyanin; UV-B; phytochrome; sunlight; 1619
chlorophyll fluorescence; cold tolerance; photosynthesis; breeding; 1533
drought stress; 2-D PAGE; proteome; QTL; PQL; candidate gene; 303
molecular markers; *Zea mays* (L.); bulk segregant analysis (BSA); drought resistance; genetic maps; 1299
phosphorus; root; root morphogenesis; *Zea mays* L; 487
Major intrinsic protein
osmotic flow; water channel; water permeability; aquaporin; hydraulic conductivity; 1055
Malate
chick-pea; salinity; nitrogen fixation; carbon metabolism; 1701
mannitol; xylem sap; stomata; water deficit; *Fraxinus excelsior* L.; 1223
Malate valve
transgenic tobacco plants; regulation of photosynthesis; redox state; elevated CO_2; 665
Mannitol
xylem sap; stomata; water deficit; *Fraxinus excelsior* L.; malate; 1223
MAP kinase
Arabidopsis; H_2O_2; 1863
Marginal unit water cost
stomatal optimization theory; 385; 393
Marine algae
membrane resistance; membrane voltage; diatoms; 445
Mastoparan
phospholipases C and D; phospholipid metabolism; *Chlamydomonas*; deflagellation; 1735
Maturity Classes
models; temperature; photoperiod; flowering genes; 1691
Maximum axial root growth pressure
mechanical impedance; monocotyledons; shear beam apparatus; dicotyledons; 1263
MCM proteins
plant; cell cycle; DNA replication; licensing factor; 1315
Mechanical impedance
monocotyledons; shear beam apparatus; dicotyledons; maximum axial root growth pressure; 1263
Megagametophyte
histochemistry; *Pinus sylvestris*; vegetative propagation; zygotic embryo; 1769
nucellar cap; seed germination; yellow cedar; coat-imposed dormancy; embryo; 1403
seed development; yellow cedar; storage proteins; dehydrins; α-TiP; embryo; 107
Membrane permeability
recalcitrant seed; respiration; viscosity; *Castanea sativa*; 1515
Membrane potential
pH regulation; phloem sap; SID; xylem sap; electrical neutrality; 1101
sodium permeability; *Zostera*; H^+-ATPase; cytoplasmic pH; 1763
transgenic plants; *Solanum tuberosum*; osmolality; turgor; 565
Membrane protein reconstitution
liposomes; surfactants; membrane solubilization; 1715
Membrane proteins
endoplasmic reticulum; plant; retention signal; soluble proteins; 157
Membrane resistance
membrane voltage; diatoms; marine algae; 445
Membrane solubilization
membrane protein reconstitution; liposomes; surfactants; 1715
Membrane transporters
transport processes; heterologous expression systems; transport proteins; cloning strategies; 1073
Membrane voltage
abscisic acid; stomatal guard cell; K^+ channel; Cl^- channel; cytosolic free Ca^{2+} concentration; Ca^{2+} oscillations; 989
diatoms; marine algae; membrane resistance; 445
Michaelis-Menten kinetics
pear; *Pyrus communis* L.; gas exchange models; inhibition; 837
Microbial activity
decomposition; *Lolium perenne*; L-lysine patches; N capture; 1243
Microsequencing
nodulin; lipid transfer protein; superoxide dismutase; *Striga hermonthica* (Del;) Benth; 269
Microsomes
plasma membrane H^+-ATPase; arbuscular mycorrhiza; *Lycopersicon esculentum*; 1343
Microspore development
pollen development; actin cytoskeleton; microtubule cytoskeleton; cytoskeletal inhibitors; 581
Microtubule cytoskeleton
cytoskeletal inhibitors; microspore development; pollen development; actin cytoskeleton; 581
Miscanthus × *giganteus*
temperature; vapour pressure deficit; C_4 plants; leaf growth; 1393
Models
temperature; photoperiod; flowering genes; Maturity Classes; 1691
Molecular cloning
Acetabularia acetabulum; inorganic pyrophosphatase; vacuole; H^+-translocation; 139
Molecular diversity
population diversity; ecophysiological traits; natural plant communities; dynamics; 1635
Molecular marker(s)
osmotic adjustment; quantitative trait loci (QTL); genetic engineering; 291
adaptation; natural selection; dynamic management; wheat; 283
candidate genes; QTL; enzyme activity; carbon metabolism; 1281
Zea mays (L.); bulk segregant analysis (BSA); drought resistance; genetic maps; maize; 1299
Zea mays; abscisic acid; ABA; drought stress; quantitative trait locus (QTL); 1289
Molybdenum cofactor (MoCo)
aldehyde oxidase; barley; roots; leaves; seeds; 63
tungstate; xanthoxal; abscisic acid; aldehyde oxidase; allopurinol; avocado; cytokinin; 595
Monocotyledons
shear beam apparatus; dicotyledons; maximum axial root growth pressure; mechanical impedance; 1263
Morphogenesis
developmental pathways; second messenger; calcium; 1001
Morphospace
relative fitness; adaptation; evolution; plants; 39
MT2
cadmium; *Brassica juncea*; gas exchange; chlorophyll fluorescence; growth; phytochelatin; γ-ECS; 1827
Mugineic acid
PETIS; [^{11}C] methionine; discrimination centre; Fe deficiency; 637
Mutants
photorespiration; photosynthesis; serine; serine:glyoxylate aminotransferase; 719
Mycorrhiza
(restricted) nodulation; Nod factors; (*Brady*)*rhizobium*; chitinase isoenzymes; 327
N capture
microbial activity; decomposition; *Lolium perenne*; L-lysine patches; 1243
N source
nitrogen fixation; soybean; *Glycine max*; flooding stress; hypoxia; 689
NaCl
PDH; proline; *Ulva fasciata*; calcium; 1855
Natural plant communities
dynamics; molecular diversity; population diversity; ecophysiological traits; 1635
Natural selection
dynamic management; wheat; molecular markers; adaptation; 283
Net nitrate uptake
high affinity transport system (HATS); low affinity transport system (LATS); salt; inhibition; apparent kinetic parameters; barley; *Hordeum vulgare* L.; 1365
Nickel
urease; soybean; UreG; UreE; 1149
Nicotiana
senescence; cytokinin; light-harvesting chlorophyll *a*/*b*-binding protein; protochlorophyllide oxidoreductase; 1677
senescence; regreening; chloroplasts; cytokinin; 1683
Nicotiana tabacum
G-protein; cloning; antisense; K^+ channel regulation; 53
promoter; protoplast; cell proliferation; extensin; 343
stomatal conductance; carotenoids; chlorophyll content and fluorescence; 119
whole plant; total leaf area; leaf growth; growth rate; biomass; 1169
Nitella
tonoplast; vacuolar transport; vesicle trafficking; chloride transport; 925
Nitrate
symport; ammonium; diatoms; electrophysiology; 461
Nitrate accumulation
nitrate reduction; nitrate uptake; phosphate deficiency; simulation model; source/sink; turgor; biomass partitioning; carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; 813
Nitrate content
water content; homoeostasis; 613
Nitrate interference
leaf epidermis; potassium activity; potassium-selective microelectrodes; vacuoles; 1709
Nitrate reduction
nitrate uptake; phosphate deficiency; simulation model; source/sink; turgor; biomass partitioning; carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; nitrate accumulation; 813
Nitrate uptake
phosphate deficiency; simulation model; source/sink; turgor; biomass partitioning; carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; nitrate accumulation; nitrate reduction; 813
Nitrogen
photosynthesis; Proteaceae; carbohydrate; elevated CO_2; 533
photosynthesis; Rubisco; *Helianthus annuus*; carbohydrates; carbon dioxide; CO_2; light; 645
Nitrogen fixation
carbon metabolism; malate; chick-pea; salinity; 1701
soybean; *Glycine max*; flooding stress; hypoxia; N source; 689
Nitrogen metabolism
poplar; xylem exudate; 1797
Nitrogen reserve
defoliation; regrowth; ryegrass; fructans; 1817

Nod factors
(*Brady*)*rhizobium*; chitinase isoenzymes; mycorrhiza; (restricted) nodulation; 327
Nodulation
light microscopy; haematoxylin; symbiosis; soybean; 1577
Nodule
symbiotic N_2 fixation; drought stress; legumes; 143
Nodulin
lipid transfer protein; superoxide dismutase; *Striga hermonthica* (Del;) Benth; microsequencing; 269
Non-specific esterase
polyphenols; scanning electron microscopy; histochemical tests; image analysis; 1129
Norway spruce
snake spruce; tracheids; cambial activity; ethylene gas; 1489
Novel compounds
feverfew; tansy; sexual hybridization; parthenolide; 435
Nucellar cap
seed germination; yellow cedar; coat-imposed dormancy; embryo; megagametophyte; 1403
Nuclear localization signal
Enterolobium contortisiliquum; plant cytolysin; cytolytic protein; immunocytolocalization; 1743
Nutrient
rootstock–scion; steady-state; soluble sugars; apple; growth rate; 1189
Nutrients
Poa alpina L.; phloem transport; carbohydrate; compartmentation; export; elevated CO_2; 1215
Nutrient retention
plant strategies; competition; growth rate; litter decomposition; 29
Nutrient supply
computer control; hydroponics; relative addition rate; 263
Nutrient transport
plant/fungal interaction; biotrophic interface; symbiosis; 1013
Oleanolic acid
Vitis vinifera; waxes; structure; grape cuticle; 175
Oligosaccharide
long-distance transport; tomato; *Lycopersicon esculentum*; Mill.; unconjugated N-glycans; 1669
Organic acid
phoinhibition; CAM; *Clusia minor*; gas exchange; 253
Orobanche aegyptiaca
germination rate; hydrothermal time models. water stress; temperature; 655
Orobanche spp
broomrape; seed dormancy; temperature; dormancy model; 211
Osmolality
turgor; membrane potential; transgenic plants; *Solanum tuberosum*; 565
Osmosis
protoplasts; aquaporins; endocytosis; exocytosis; 401
Osmotic adjustment
quantitative trait loci (QTL); genetic engineering; molecular marker; 291
Osmotic flow
water channel; water permeability; aquaporin; hydraulic conductivity; major intrinsic protein; 1055
Osmotic pressure
cell walls; roots; acid growth; turgor pressure; 1481
water potential; potato; tuber; development; starch; 477
Ovules
apple; cDNA clone; fruit; homeobox gene; 141
Oxidative stress
superoxide dismutase; transgenic plants; *Zea mays* L; chilling stress; 71
Zea mays; antioxidant enzymes; chilling; paraquat; 523
Oxygen
Cretaceous; palaeo-atmosphere; stomata; 869
Oxygen consumption
Araceae; thermoregulation; thermogenesis; *Philodendron*; arum lily; heat production; 845
heat production; thermogenesis; temperature regulation; Araceae; 1525
Oxygen radicals
water stress; wheat; antioxidants; lipid radicals; 375
Ozone
carbon translocation; phloem loading; compartmental efflux analysis; Pima cotton; 1253
sulphur dioxide; plant breeding; detoxification; antioxidants; 1423
Ozone stress
visible injury; gas exchange; transgenic plants; antioxidative systems; glutathione; 365
^{32}P
citrus; uptake kinetics; phosphorus uptake; water uptake; sour orange; *Citrus aurantium*; drought; split-root; 1845
P-type ATPases
plasma membrane; ER; tonoplast; proton pump; transport; 883
Palaeo-atmosphere
stomata; oxygen; Cretaceous; 869
Paraquat
oxidative stress; *Zea mays*; antioxidant enzymes; chilling; 523
Parthenolide
novel compounds; feverfew; tansy; sexual hybridization; 435
Patch-clamp
vacuolar membrane; cation channel; magnesium block; *Hordeum vulgare*; 1547
vacuolar membrane; cation channel; selectivity; *Hordeum vulgare*; 873
Patchy
hydraulic; turgor; stomata; humidity; light; 1207
Pathogenesis
jasmonate; signalling; wounding; 1331
Pathogenesis-related protein
winter rye; *Secale cereale*; low molecular weight thaumatin-like protein; antifungal activity; 1627
PDH
proline; *Ulva fasciata*; calcium; NaCl; 1855
Pear
Pyrus communis L.; gas exchange models; inhibition; Michaelis-Menten kinetics; 837
Pectin
suppressor; resistance; wheat; stem rust; cell walls; 605
Pentose phosphate
subcellular; plastid; ribulose 5-phosphate; compartmentation; 1653
PEPc
photosynthesis; salinity; elevated CO_2; growth; 79
Perforation plate
vessel; water flow; 1179
Permeation
action potential clamp; *Arabidopsis thaliana*; endocytosis; exocytosis; green fluorescent protein (GFP); kinetics; macropatch; 1037
PETIS
[^{11}C] methionine; discrimination centre; Fe deficiency; mugineic acid; 637
pH regulation
phloem sap; SID; xylem sap; electrical neutrality; membrane potential; 1101
Pharbitis nil
S-adenosylmethionine decarboxylase; blue-light receptor; circadian rhythm; phytochrome; 319
Philodendron
arum lily; heat production; oxygen consumption; Araceae; thermoregulation; thermogenesis; 845
Phloem
translocation; cytokinin; legumes; lupin; 805
Phloem loading
compartmental efflux analysis; Pima cotton; ozone; carbon translocation; 1253
Phloem mobility
glucosinolates; Kleier model; *Brassica napus*; *Ricinus communis*; 745
Phloem sap
SID; xylem sap; electrical neutrality; membrane potential; pH regulation; 1101
Phloem transport
carbohydrate; compartmentation; export; elevated CO_2; nutrients; *Poa alpina* L.; 1215
Phosphate deficiency
simulation model; source/sink; turgor; biomass partitioning; carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; nitrate accumulation; nitrate reduction; nitrate uptake; 813
Phospho*enol*pyruvate carboxylase
carbon partitioning; C_4-photosynthesis; CO_2 compensation point; respiration; transgenic potato; 1231
protein phosphorylation; stomata; *Commelina communis* L.; guard cell; 777
Phospholipases C and D
phospholipid metabolism; *Chlamydomonas*; deflagellation; mastopaan; 1735
Phospholipid metabolism
Chlamydomonas; deflagellation; mastopaan; phospholipases C and D; 1735
Phosphorus
root; root morphogenesis; *Zea mays* L; maize; 487
Phosphorus uptake
water uptake; sour orange; *Citrus aurantium*; drought; split-root; ^{32}P; citrus; uptake kinetics; 1845
Photoinhibition
CAM; *Clusia minor*; gas exchange; organic acid; 253
Photomorphogenesis
phytochrome; shade avoidance; competition; informational signals; 1629
Photoperiod
flowering genes; Maturity Classes; models temperature; 1691
Photorespiration
photosynthesis; serine; serine:glyoxylate aminotransferase; mutants; 719
transformed poplar; glutathione, γ-glutamyl cysteine; amino acids; 1157
Photosynthesis
breeding; maize; chlorophyll fluorescence; cold tolerance; 1533
primary carbon metabolism; redox regulation; SBPase; structure; transgenic plants gene expression; 1
Proteaceae; carbohydrate; elevated CO_2; nitrogen; 533
Rubisco; *Helianthus annuus*; carbohydrates; carbon dioxide; CO_2; light; nitrogen; 645
salinity; elevated CO_2; growth; PEPc; 79
serine: serine:glyoxylate aminotransferase; mutants; photorespiration; 719
stomata; assimilation; conductance; heterogeneity; infrared gas analysis; 1381
stomatal conductance; leaf extension rate; carbon dioxide enrichment; 233
tomato; chlorophyll; chlorophyll fluorescence; fruit; 707
Zea mays; carotenoids; chlorophylls; low temperature; 543
Photosynthetic enzymes
C_4 plants; anatomy; chloroplasts; ultrastructure; Chenopodiaceae; immunolocalization; 1779
Photosynthetic rate
Rubisco; Rubisco activase; sink–source relationship; *Zea mays* L.; plant productivity; 823
Photosystem II photochemistry
water stress; wheat; *Triticum aestivum* L.; chlorophyll fluorescence; heat stress; 1199
Phytochelatin
γ-ECS; MT2; cadmium; *Brassica juncea*; gas exchange; chlorophyll fluorescence; growth; 1827
Phytochrome
adventitious shoot formation; *Armoracia*; hairy root; light-induction; 1837
Phytochrome
high irradiance response; gymnosperms; 831
Pharbitis nil; *S*-adenosylmethionine decarboxylase; blue-light receptor; circadian rhythm; 319
shade avoidance; competition; informational signals; photomorphogenesis; 1629
sunlight; maize; anthocyanin; UV-B; 1619
Phytoplankton
potassium selectivity; *Coscinodiscus*; current–voltage relationships; diatoms; inward rectification; 453
Phytosiderophore
Triticeae; biosynthesis; genome; 723
Pima cotton
ozone; carbon translocation; phloem loading; compartmental efflux analysis; 1253
Pinus sylvestris
vegetative propagation; zygotic embryo; megagametophyte; histochemistry; 1769
Plant
cell cycle; DNA replication; licensing factor; MCM proteins; 1315
retention signal; soluble proteins; membrane proteins; endoplasmic reticulum; 157

Plants
morphospace; relative fitness; adaptation; evolution; 39
roots; trees; wood; biomechanics; 193
Plant breeding
detoxification; antioxidants; ozone; sulphur dioxide; 1423
Plant cells
Golgi apparatus; secretory pathway; Brefeldin A; vesicle trafficking; 1465
Plant cytolysin
cytolytic protein; immunocytolocalization; nuclear localization signal; *Enterolobium contortisiliquum*; 1743
Plant defence
resistance; rhizobia; salicylic acid; arbuscular mycorrhiza; 1663
signalling; glucosyl transferase; 407
Plant defence response
Caulimovirus; LTP; 1727
Plant development
regulation; genetic manipulation; gibberellin biosynthesis; 553
Plant growth factor
somatic embryogenesis; sulphated peptide; *Daucus carota*; 1123
Plant nitrate
influx kinetics; hydroponics; day/night cycle; solution nitrate; 625
Plant productivity
photosynthetic rate; Rubisco; Rubisco activase; sink–source relationship; *Zea mays* L.; 823
Plant strategies
competition; growth rate; litter decomposition; nutrient retention; 29
Plant tumour
vascular rays; *Agrobacterium tumefaciens*; carboxyfluorescein; GFP; symplastic phloem unloading; 183
Plant/fungal interaction
biotrophic interface; symbiosis; nutrient transport; 1013
Planteose
fructose; glucose; *Cyclamen*; transport; sucrose; 1807
Plasma membrane
ER; tonoplast; proton pump; transport; P-type ATPases; 883
sieve elements; companion cells; sucrose; transport; sucrose carriers; proton co-transporters; 935
Plasma membrane H^+-ATPase
arbuscular mycorrhiza; *Lycopersicon esculentum*; microsomes; 1343
Plasmodesmata
cell-to-cell communication; companion cell–sieve element complex; protein and RNA transport; symplasmic domains; supracellular control; threshold concentration; viral movement proteins; 979
Plastic compliance
leaf growth; leaf extension rate; extensibility; extension coefficient; hydraulic conductance; elastic compliance; 221
Plastid
ribulose 5-phosphate; compartmentation; pentose phosphate; subcellular; 1653
Pleckstrin
pleckstrin homology (PH) domain; *Arabidopsis thaliana*; 729
Pleckstrin homology (PH) domain
Arabidopsis thaliana; pleckstrin; 729
Poa alpina L.
phloem transport; carbohydrate; compartmentation; export; elevated CO_2; nutrients; 1215
Pod shatter
response regulator; signal transduction; *Brassica napus*; dehiscence; 335
Poikilohydric organisms
reciprocity; lichens; high-light damage; heat stress; 697
Pollen development
actin cytoskeleton; microtubule cytoskeleton; cytoskeletal inhibitors; microspore development; 581
Pollen expression
pollen segregation; transgene biosafety; dual pollen staining; light-regulated promoter; 1471
Pollen segregation
transgene biosafety; dual pollen staining; light-regulated promoter; pollen expression; 1471
Pollination
fruit load; *Capsicum annuum* L; sweet pepper; blossom-end rot; calcium; growth rate; 357
Polypeptide synthesis
roots; salt stress; ABA; 677
Polyphenols
scanning electron microscopy; histochemical tests; image analysis; non-specific esterase; 1129
Poplar
xylem exudate; nitrogen metabolism; 1797
Population diversity
ecophysiological traits; natural plant communities; dynamics; molecular diversity; 1635
Populus tremula × *P. alba*
acetaldehyde; emission; ethanol; anaerobiosis; 757
Potassium
salinity; sodium; toxicity; calcium; 1495
Potassium activity
potassium-selective microelectrodes; vacuoles; nitrate interference; leaf epidermis; 1709
Potassium selectivity
Coscinodiscus; current–voltage relationships; diatoms; inward rectification; phytoplankton; 453
Potassium transport
sodium transport; protein kinases; protein phosphatases; transcription factors; 1023
Potassium-selective microelectrodes
vacuoles; nitrate interference; leaf epidermis; potassium activity; 1709
Potato
tuber; development; starch; osmotic pressure; water potential; 477
PQL
candidate gene; maize; drought stress; 2-D PAGE; proteome; QTL; 303
Precocious germination
seed development; abscisic acid; ABA; *Brassica rapa*; Chinese cabbage; stored reserves; 1751
Primary carbon metabolism
redox regulation; SBPase; structure; transgenic plants; gene expression; photosynthesis; 1
Proline
pyrroline-5-carboxylate synthetase; signal transduction; stress; ABA; *Arabidopsis*; cyclic ADP-ribose; 413
Ulva fasciata; calcium; NaCl; PDH; 1855
Promoter
protoplast; cell proliferation; extensin; *Nicotiana tabacum*; 343
Propeptides
vacuole; tonoplast; sorting receptor; protein trafficking; 165
Proteaceae
carbohydrate; elevated CO_2; nitrogen; photosynthesis; 533
Protein and RNA transport
symplasmic domains; supracellular control; threshold concentration; viral movement proteins; plasmodesmata; cell-to-cell communication; companion cell–sieve element complex; 979
Protein kinases
protein phosphatases; transcription factors; potassium transport; sodium transport; 1023
Protein phosphatases
transcription factors; potassium transport; sodium transport; protein kinases; 1023
Protein phosphorylation
stomata; *Commelina communis* L.; guard cell; phospho*enol*pyruvate carboxylase; 777
Protein sulphur
sulphate; sulphur nutrition; sulphur sinks; sulphur sources; wheat; glutathione; grain sulphur; 1587
sulphur nutrition; sulphur sinks; sulphur sources; wheat; grain sulphur; 499
Protein trafficking
propeptides; vacuole; tonoplast; sorting receptor; 165
Proteome
QTL; PQL; candidate gene; maize; drought stress; 2-D PAGE; 303
Protochlorophyllide oxidoreductase
Nicotiana; senescence; cytokinin; light-harvesting chlorophyll *a*/*b*-binding protein; 1677
Proton co-transporters
plasma membrane; sieve elements; companion cells; sucrose; transport; sucrose carriers; 935
Proton pump
transport; P-type ATPases; plasma membrane; ER; tonoplast; 883
Protoplast
cell proliferation; extensin; *Nicotiana tabacum*; promoter; 343
Protoplasts
aquaporins; endocytosis; exocytosis; osmosis; 401
Pyrroline-5-carboxylate synthetase
signal transduction; stress; ABA; *Arabidopsis*; cyclic ADP-ribose; proline; 413
Pyrus communis L.
gas exchange models; inhibition; Michaelis-Menten kinetics; pear; 837
QTL
enzyme activity; carbon metabolism; molecular markers; candidate genes; 1281
PQL; candidate gene; maize; drought stress; 2-D PAGE; proteome; 303
Quantitative trait loci (QTL)
genetic engineering; molecular marker; osmotic adjustment; 291
molecular markers; *Zea mays*; abscisic acid; ABA; drought stress; 1289
Raffinose oligosaccharides
α-galactosides; ciceritol; genetics; lentils; 469
Recalcitrant seed
horse chestnut; seed dormancy; base temperature for germination; chilling; 1507
respiration; viscosity; *Castanea sativa*; membrane permeability; 1515
Receptor kinase
brassinosteroid; biosynthesis; signal transduction; dwarf; 275
Reciprocity
lichens; high-light damage; heat stress; poikilohydric organisms; 697
Recombinant PCR
yeast complementation; KAT1; inward rectifier; ion channel; 967
Redox regulation
SBPase; structure; transgenic plants; gene expression; photosynthesis; primary carbon metabolism; 1
Redox state
elevated CO_2; malate valve; transgenic tobacco plants; regulation of photosynthesis; 665
Regreening
chloroplasts; cytokinin; *Nicotiana*; senescence; 1683
Regrowth
ryegrass; fructans; nitrogen reserve; defoliation; 1817
Regulation
compartmentation; sucrose; leaves; invertase; 735
genetic manipulation; gibberellin biosynthesis; plant development; 553
specificity; sensitivity to heavy metal ions; aquaporin; 1541
Regulation of photosynthesis
redox state; elevated CO_2; malate valve; transgenic tobacco plants; 665
Relative addition rate
nutrient supply; computer control; hydroponics; 263
Relative fitness
adaptation; evolution; plants; morphospace; 39
Resistance
rhizobia; salicylic acid; arbuscular mycorrhiza; plant defence; 1663
wheat; stem rust; cell walls; pectin; suppressor; 605
Respiration
soil carbon; arbuscular mycorrhizal fungi; down-regulation of photosynthesis; enhanced atmospheric CO_2; 853
transgenic potato; phospho*enol*pyruvate carboxylase; carbon partitioning; C_4-photosynthesis; CO_2 compensation point; 1231
viscosity; *Castanea sativa*; membrane permeability; recalcitrant seed; 1515
Response regulator
signal transduction; *Brassica napus*; dehiscence; pod shatter; 335
(Restricted) nodulation
Nod factors; (Brady)rhizobium; chitinase isoenzymes; mycorrhiza; 327
Retention signal
soluble proteins; membrane proteins; endoplasmic reticulum; plant; 157
Rhizobia
salicylic acid; arbuscular mycorrhiza; plant defence; resistance; 1663
Ribosome-inactivating proteins (RIPs)
secretory proteins; subcellular compartmentation; *Luffa cylindrica* L. Roem; luffin; 573
Ribulose 5-phosphate
compartmentation; pentose phosphate; subcellular; plastid; 1653

Ricinus communis
phloem mobility; glucosinolates; Kleier model; *Brassica napus*; 745
Ripening
senescence; tomato; carotenoids; chlorophyll; 1115
softening; wall degrading enzymes; *Averrhoa carambola* L.; cell wall carbohydrates; 767
RNA-binding domain
Solanum sp.; abscisic acid; cold acclimation; glycine-rich protein; 1867
Root
root morphogenesis; *Zea mays* L; maize; phosphorus; 487
transport; suberin; apoplast; Casparian strip; endodermis; hypodermis; lignin; 1267
Roots
acid growth; turgor pressure; osmotic pressure; cell walls; 1481
leaves; seeds; molybdenum cofactor (MoCo); aldehyde oxidase; barley; 63
salt stress; ABA; polypeptide synthesis; 677
trees; wood; biomechanics; plants; 193
Rootstock–scion
steady-state; soluble sugars; apple; growth rate; nutrient; 1189
Root elongation
growth inhibition; β-galactosidase; ^{11}C; UDP-glucose; epimerase; 1613
Root hydraulics
endodermis; exodermis; hypodermis; cortex; drought; water transport; 201
Root morphogenesis
Zea mays L; maize; phosphorus; root; 487
Root-restriction stress
dwarfing response; abscisic acid; soil resistance; 799
Rubisco
Helianthus annuus; carbohydrates; carbon dioxide; CO_2; light; nitrogen; photosynthesis; 645
Helianthus annuus; drought tolerance; gas exchange; chlorophyll fluorescence; 127
Rubisco activase; sink–source relationship; *Zea mays* L.; plant productivity; photosynthetic rate; 823
Rubisco activase
sink–source relationship; *Zea mays* L.; plant productivity; photosynthetic rate; Rubisco; 823
Ryegrass
fructans; nitrogen reserve; defoliation; regrowth; 1817
S-adenosylmethionine decarboxylase
blue-light receptor; circadian rhythm; phytochrome; *Pharbitis nil*; 319
Salicylic acid
arbuscular mycorrhiza; plant defence; resistance; rhizobia; 1663
Salinity
elevated CO_2; growth; PEPc; photosynthesis; 79
nitrogen fixation; carbon metabolism; malate; chick-pea; 1701
sodium; toxicity; calcium; potassium; 1495
Salt
inhibition; apparent kinetic parameters; barley; *Hordeum vulgare* L.; net nitrate uptake; high affinity transport system (HATS); low affinity transport system (LATS); 1365
Salt stress
ABA; polypeptide synthesis; roots; 677
Sambucus nigra
abscission; allergens; ethylene; 733
SBPase
structure; transgenic plants; gene expression; photosynthesis; primary carbon metabolism; redox regulation; 1
Scanning electron microscopy
histochemical tests; image analysis; non-specific esterase; polyphenols; 1129
Secale cereale
low molecular weight thaumatin-like protein; antifungal activity; pathogenesis-related protein; winter rye; 1627
Second messenger
calcium; morphogenesis; developmental pathways; 1001
Secretion
Brefeldin A; Golgi; *Closterium*; 1323
Secretory pathway
Brefeldin A; vesicle trafficking; plant cells; Golgi apparatus; 1465
Secretory proteins
subcellular compartmentation; *Luffa cylindrica* L. Roem; luffin; ribosome-inactivating proteins (RIPs); 573
Seeds
molybdenum cofactor (MoCo); aldehyde oxidase; barley; roots; leaves; 63
Seed ageing
wheat aleurone; gibberellic acid; α-amylase isozymes; gene expression; 311
Seed development
abscisic acid; ABA; *Brassica rapa*; Chinese cabbage; stored reserves; precocious germination; 1751
yellow cedar; storage proteins; dehydrins; α-TiP; embryo; megagametophyte; 107
Seed dormancy
base temperature for germination; chilling; recalcitrant seed; horse chestnut; 1507
temperature; dormancy model; *Orobanche* spp; broomrape; 211
Seed germination
tissue printing; endo-β–mannanase; *Lactuca sativa*; lettuce; 1307
yellow cedar; coat-imposed dormancy; embryo; megagametophyte; nucellar cap; 1403
Seed priming
Lycopersicon esculentum Mill; tomato; cell cycle; germination; 101
temperature; water potential; *Lycopersicon esculentum* Mill; tomato seeds; germination models; 89
Seed storage protein
somatic embryos; zygotic embryos; *Gea8* gene; carrot; 1139
Selectivity
Hordeum vulgare; patch-clamp; vacuolar membrane; cation channel; 873
Senescence
cytokinin; light-harvesting chlorophyll *a*/*b*-binding protein; protochlorophyllide doxidoreductase; *Nicotiana*; 1677
Japanese pear; β-D-xylosidase; fruit ripening; 877
regreening; chloroplasts; cytokinin; *Nicotiana*; 1683
tomato; carotenoids; chlorophyll; ripening; 1115
Sensitivity to heavy metal ions
aquaporin; regulation; specificity; 1541
Sequence
T-DNA; *Agrobacterium tumefaciens*; 1421
Serine
serine:glyoxylate aminotransferase; mutants; photorespiration; photosynthesis; 719
Serine:glyoxylate aminotransferase
mutants; photorespiration; photosynthesis; serine; 719
Sexual hybridization
parthenolide; novel compounds; feverfew; tansy; 435
Shade avoidance
competition; informational signals; photomorphogenesis; phytochrome; 1629
Shear beam apparatus
dicotyledons; maximum axial root growth pressure; mechanical impedance; onocotyledons; 1263
SID
xylem sap; electrical neutrality; membrane potential; pH regulation; phloem sap; 1101
Sieve elements
companion cells; sucrose; transport; sucrose carriers; proton co-transporters; plasma membrane; 935
Signalling
glucosyl transferase; plant defence; 407
wounding; pathogenesis; jasmonate; 1331
Signal transduction
Brassica napus; dehiscence; pod shatter; response regulator; 335
dwarf; receptor kinase; brassinosteroid; biosynthesis; 275
stress; ABA; *Arabidopsis*; cyclic ADP-ribose; proline; pyrroline-5-carboxylate synthetase; 413
Simulation model
source/sink; turgor; biomass partitioning; carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; nitrate accumulation; nitrate reduction; nitrate uptake; phosphate deficiency; 813
Sink–source relationship
Zea mays L.; plant productivity; photosynthetic rate; Rubisco; Rubisco activase; 823
Site-specific recombination
tobacco; gene activation; inducible gene expression; FLP recombinase; 1447
Snake spruce
tracheids; cambial activity; ethylene gas; Norway spruce; 1489
Sodium
toxicity; calcium; potassium; salinity; 1495
Sodium permeability
Zostera; H^+-ATPase; cytoplasmic pH; membrane potential; 1763
Sodium transport
protein kinases; protein phosphatases; transcription factors; potassium transport; 1023
Softening
wall degrading enzymes; *Averrhoa carambola* L.; cell wall carbohydrates; ripening; 767
Soil carbon
arbuscular mycorrhizal fungi; down-regulation of photosynthesis; enhanced atmospheric CO_2; respiration; 853
Soil resistance
root-restriction stress; dwarfing response; abscisic acid; 799
Solanum sp.
abscisic acid; cold acclimation; glycine-rich protein; RNA-binding domain; 1867
Solanum tuberosum
osmolality; turgor; membrane potential; transgenic plants; 565
Soluble proteins
membrane proteins; endoplasmic reticulum; plant; retention signal; 157
Soluble sugars
apple; growth rate; nutrient; rootstock–scion; steady-state; 1189
Solution nitrate
plant nitrate; influx kinetics; hydroponics; day/night cycle; 625
Somatic embryogenesis
sulphated peptide; *Daucus carota*; plant growth factor; 1123
Somatic embryos
zygotic embryos; *Gea8* gene; carrot; seed storage protein; 1139
Sorting receptor
protein trafficking; propeptides; vacuole; tonoplast; 165
Sour orange
Citrus aurantium; drought; split-root; ^{32}P; citrus; uptake kinetics; phosphorus uptake; water uptake; 1845
Source–sink
Zea mays; glyphosate (*N*-[phosphonomethyl]glycine); transgenic; absorption; translocation; 1567
turgor; biomass partitioning; carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; nitrate accumulation; nitrate reduction; nitrate uptake; phosphate deficiency; simulation model; 813
Source-sink relations
conceptual model; whole-plant ecophysiology; competition; C and N allocation; 15
Soybean
Glycine max; flooding stress; hypoxia; N source; nitrogen fixation; 689
nodulation; light microscopy; haematoxylin; symbiosis; 1577
UreG; UreE; nickel; urease; 1149
Specificity
sensitivity to heavy metal ions; aquaporin; regulation; 1541
Split-root
^{32}P; citrus; uptake kinetics; phosphorus uptake; water uptake; sour orange; *Citrus aurantium*; drought; 1845
Starch
osmotic pressure; water potential; potato; tuber; development; 477
sucrose unloading; tomato fruit; carbon metabolism; sucrose phosphate synthase (SPS); 785
Steady-state
soluble sugars; apple; growth rate; nutrient; rootstock–scion; 1189
Stem rust
cell walls; pectin; suppressor; resistance; wheat; 605
Stomata
assimilation; conductance; heterogeneity; infrared gas analysis; photosynthesis; 1381
cell division; cytokinesis; 1437
Commelina communis L.; guard cell; phospho*enol*pyruvate carboxylase; protein phosphorylation; 777
humidity; light; patchy; hydraulic; turgor; 1207
oxygen; Cretaceous; palaeo-atmosphere; 869

water deficit; *Fraxinus excelsior* L.; malate; mannitol; xylem sap; 1223
Stomatal conductance
carotenoids; chlorophyll content and fluorescence; *Nicotiana tabacum*; 119
leaf extension rate; carbon dioxide enrichment; photosynthesis; 233
Stomatal guard cell
K^+ channel; Cl^- channel; cytosolic free Ca^{2+} concentration; Ca^{2+} oscillations; membrane voltage; abscisic acid; 989
Stomatal optimization theory
marginal unit water cost; 385; 393
Stomatal sensitivity;
transpiration; hydraulic conductance; ABA; *Eucalyptus tetrodonta*; 243
Storage proteins
dehydrins; α-TiP; embryo; megagametophyte; seed development; yellow cedar; 107
Stored reserves
precocious germination; seed development; abscisic acid; ABA; *Brassica rapa*; Chinese cabbage; 1751
Stress
ABA; *Arabidopsis*; cyclic ADP-ribose; proline; pyrroline-5-carboxylate synthetase; signal transduction; 413
Striga hermonthica (Del;) Benth
microsequencing; nodulin; lipid transfer protein; superoxide dismutase; 269
Structure
grape cuticle; oleanolic acid; *Vitis vinifera*; waxes; 175
transgenic plants; gene expression; photosynthesis; primary carbon metabolism; redox regulation; SBPase; 1
Subcellular
plastid; ribulose 5-phosphate; compartmentation; pentose phosphate; 1653
Subcellular compartmentation
Luffa cylindrica L. Roem; luffin; ribosome-inactivating proteins (RIPs); secretory proteins; 573
Suberin
apoplast; Casparian strip; endodermis; hypodermis; lignin; root; transport; 1267
Sucrose
leaves; invertase; regulation; compartmentation; 735
planteose; fructose; glucose; *Cyclamen*; transport; 1807
transport; sucrose carriers; proton co-transporters; plasma membrane; sieve elements; companion cells; 935
Sucrose carriers
proton co-transporters; plasma membrane; sieve elements; companion cells; sucrose; transport; 935
Sucrose phosphate synthase (SPS)
starch; sucrose unloading; tomato fruit; carbon metabolism; 785
Sucrose synthase
sucrose turnover; sucrose unloading; tomato fruit; invertase; 1457
Sucrose turnover
sucrose unloading; tomato fruit; invertase; sucrose synthase; 1457
Sucrose unloading
tomato fruit; carbon metabolism; sucrose phosphate synthase (SPS); starch; 785
tomato fruit; invertase; sucrose synthase; sucrose turnover; 1457
Sugar beet
water movements; aquaporins; 509
Sulphate
sulphur nutrition; sulphur sinks; sulphur sources; wheat; glutathione; grain sulphur; protein sulphur; 1587
Sulphate transporter
Arabidopsis thaliana; chloroplast; green fluorescent protein; 1713
Sulphated peptide
Daucus carota; plant growth factor; somatic embryogenesis; 1123
Sulphur dioxide
plant breeding; detoxification; antioxidants; ozone; 1423
Sulphur nutrition
sulphur sinks; sulphur sources; wheat; glutathione; grain sulphur; protein sulphur; sulphate; 1587
sulphur sinks; sulphur sources; wheat; grain sulphur; protein sulphur; 499
Sulphur sinks
sulphur sources; wheat; glutathione; grain sulphur; protein sulphur; sulphate; sulphur nutrition; 1587
sulphur sources; wheat; grain sulphur; protein sulphur; sulphur nutrition; 499
Sulphur sources
glutathione; grain sulphur; protein sulphur; sulphate; sulphur nutrition; sulphur sinks; wheat; 1587
wheat; grain sulphur; protein sulphur; sulphur nutrition; sulphur sinks; 499
Sunflower
ABA; aquaporins; calcium; exudation rate; *Helianthus annuus*; hydraulic conductivity; 1607
xylem sap; free and conjugated abscisic acid; free and conjugated phaseic acid; water stress; 1599
Sunlight
maize; anthocyanin; UV-B; phytochrome; 1619
Superoxide dismutase
Striga hermonthica (Del;) Benth; microsequencing; nodulin; lipid transfer protein; 269
transgenic plants; *Zea mays* L; chilling stress; oxidative stress; 71
Suppressor
resistance; wheat; stem rust; cell walls; pectin; 605
Supracellular control
threshold concentration; viral movement proteins; plasmodesmata; cell-to-cell communication; companion cell–sieve element complex; protein and RNA transport; symplasmic domains; 979
Surfactants
membrane solubilization; membrane protein reconstitution; liposomes; 1715
Sweet pepper
blossom-end rot; calcium; growth rate; pollination; fruit load; *Capsicum annuum* L; 357
Symbiosis
nutrient transport; plant/fungal interaction; biotrophic interface; 1013
soybean; nodulation; light microscopy; haematoxylin; 1577
Symbiotic N_2 fixation
drought stress; legumes; nodule; 143
Symplasmic domains
supracellular control; threshold concentration; viral movement proteins; plasmodesmata; cell-to-cell communication; companion cell–sieve element complex; protein and RNA transport; 979
Symplastic phloem unloading
plant tumour; vascular rays; *Agrobacterium tumefaciens*; carboxyfluorescein; GFP; 183
Symport
ammonium; diatoms; electrophysiology; nitrate; 461
Syntaxin
AtPEP12p-like protein; vesicle transport; 915
T-DNA
Agrobacterium tumefaciens; sequence; 1421
Tansy
sexual hybridization; parthenolide; novel compounds; feverfew; 435
Temperature
dormancy model; *Orobanche* spp; broomrape; seed dormancy; 211
Orobanche aegyptiaca; germination rate; hydrothermal time models; water stress; 655
photoperiod; flowering genes; Maturity Classes; models; 1691
vapour pressure deficit; C_4 plants; leaf growth; *Miscanthus* × *giganteus*; 1393
water potential; *Lycopersicon esculentum* Mill; tomato seeds; germination models; seed priming; 89
Temperature regulation
Araceae; oxygen consumption; heat production; thermogenesis; 1525
Thermogenesis
Philodendron; arum lily; heat production; oxygen consumption; Araceae; thermoregulation; 845
temperature regulation; Araceae; oxygen consumption; heat production; 1525
Thermoregulation
thermogenesis; *Philodendron*; arum lily; heat production; oxygen consumption; Araceae; 845
Threshold concentration
viral movement proteins; plasmodesmata; cell-to-cell communication; companion cell– sieve element complex; protein and RNA transport; symplasmic domains; msupracellular control; 979
α-TiP
embryo; megagametophyte; seed development; yellow cedar; storage proteins; dehydrins; 107
Tissue printing
mendo-β-mannanase; *Lactuca sativa*; lettuce; seed germination; 1307
Tobacco
gene activation; inducible gene expression; FLP recombinase; site-specific recombination; 1447
Tomato
carotenoids; chlorophyll; ripening; senescence; 1115
cell cycle; germination; seed priming; *Lycopersicon esculentum* Mill; 101
chlorophyll; chlorophyll fluorescence; fruit; photosynthesis; 707
Lycopersicon esculentum; Mill.; unconjugated N-glycans; oligosaccharide; long-distance transport; 1669
Tomato fruit
carbon metabolism; sucrose phosphate synthase (SPS); starch; sucrose unloading; 785
invertase; sucrose synthase; sucrose turnover; sucrose unloading; 1457
Tomato mutants
lipoxygenase; ethylene; fruit ripening; gene expression; 793
Tomato seeds
germination models; seed priming; temperature; water potential; *Lycopersicon esculentum* Mill; 89
Tonoplast
proton pump; transport; P-type ATPases; plasma membrane; ER; 883
sorting receptor; protein trafficking; propeptides; vacuole; 165
vacuolar transport; vesicle trafficking; chloride transport; *Nitella*; 925
Total leaf area
leaf growth; growth rate; biomass; *Nicotiana tabacum*; whole plant; 1169
Toxicity
calcium; potassium; salinity; sodium; 1495
Tracheids
cambial activity; ethylene gas; Norway spruce; snake spruce; 1489
Transcription factors
potassium transport; sodium transport; protein kinases; protein phosphatases; 1023
Transformed poplar
glutathione; γ-glutamyl cysteine; amino acids; photorespiration; 1157
Transgene biosafety
dual pollen staining; light-regulated promoter; pollen expression; pollen segregation; 1471
Transgenic
absorption; translocation; source–sink; *Zea mays*; glyphosate (*N*-[phosphonomethyl]glycine); 1567
Transgenic plant
sucrose unloading; tomato fruit; carbon metabolism; sucrose phosphate synthase (SPS); 785
Transgenic plants
antioxidative systems; glutathione; ozone stress; visible injury; gas exchange; 365
gene expression; photosynthesis; primary carbon metabolism; redox regulation; SBPase; structure; 1
Solanum tuberosum; osmolality; turgor; membrane potential; 565
Zea mays L; chilling stress; oxidative stress; superoxide dismutase; 71
Transgenic potato
phospho*enol*pyruvate carboxylase; carbon partitioning; C_4-photosynthesis; CO_2 compensation point; respiration; 1231
Transgenic tobacco
borage; fatty acid desaturase; γ-linolenic acid; 1647
Transgenic tobacco plants
regulation of photosynthesis; redox state; elevated CO_2; malate valve; 665
Translocation
cytokinin; legumes; lupin; phloem; 805
source–sink; *Zea mays*; glyphosate (*N*-[phosphonomethyl]glycine); transgenic; absorption; 1567
Transpiration
hydraulic conductance; ABA; *Eucalyptus tetrodonta*; stomatal sensitivity; 243
Transport
P-type ATPases; plasma membrane; ER; tonoplast; proton pump; 883

suberin; apoplast; Casparian strip; endodermis; hypodermis; lignin; root; 1267
sucrose carriers; proton co-transporters; plasma membrane; sieve elements; companion cells; sucrose; 935
sucrose; planteose; fructose; glucose; *Cyclamen*; 1807
Transport processes
heterologous expression systems; transport proteins; cloning strategies; membrane transporters; 1073
Transport proteins
cloning strategies; membrane transporters; transport processes; heterologous expression systems; 1073
Trees
wood; biomechanics; plants; roots; 193
Triticeae
biosynthesis; genome; phytosiderophore; 723
Tritium aestivum L.
Chlorophyll fluorescence; heat stress; photosystem II photochemistry; water stress; wheat; 1199
Tuber
development; starch; osmotic pressure; water potential; potato; 477
Tungstate
xanthoxal; abscisic acid; aldehyde oxidase; allopurinol; avocado; cytokinin; molybdenum cofactor; 595
Turgor
biomass partitioning; carbohydrate accumulation; growth limitation; *Lactuca sativa* L.; nitrate accumulation; nitrate reduction; nitrate uptake; phosphate deficiency; simulation model; source/sink; 813
membrane potential; transgenic plants; *Solanum tuberosum*; osmolality; 565
stomata; humidity; light; patchy; hydraulic; 1207
Turgor pressure
osmotic pressure; cell walls; roots; acid growth; 1481
TYLCV
Lycopersicon esculentum; karyopherin α; 731
UDP-glucose
epimerase; root elongation; growth inhibition; β-galactosidase; ^{11}C; 1613
Ultrastructure
Chenopodiaceae; immunolocalization; photosynthetic enzymes; C_4-plants; anatomy; chloroplasts; 1779
Ulva fasciata
calcium; NaCl; PDH; proline; 1855
Unconjugated N-glycans
oligosaccharide; long-distance transport; tomato; *Lycopersicon esculentum*; Mill.; 1669
Uptake kinetics
phosphorus uptake; water uptake; sour orange; *Citrus aurantium*; drought; split-root: ^{32}P; citrus; 1845
Urease
soybean; UreG; UreE; nickel; 1149
UreE
nickel; urease; soybean; UreG; 1149
UreG
UreE; nickel; urease; soybean; 1149
Urginea maritima
exposure; UV-B-absorbing compounds; epidermal transmittance; 517
UV-B
phytochrome; sunlight; maize; anthocyanin; 1619
UV-B-absorbing compounds
epidermal transmittance; *Urginea maritima*; exposure; 517
Vacuolar membrane
cation channel; magnesium block; *Hordeum vulgare*; patch-clamp; 1547
cation channel; selectivity; *Hordeum vulgare*; patch-clamp; 873
Vacuolar sequestration
xenobiotics; ABC transporters; detoxification; glutathione; 895
Vacuolar transport
vesicle trafficking; chloride transport; *Nitella*; tonoplast; 925
Vacuole
H^+-translocation; molecular cloning; *Acetabularia acetabulum*; inorganic pyrophosphatase; 139
tonoplast; sorting receptor; protein trafficking; propeptides; 165
Vacuoles
nitrate interference; leaf epidermis; potassium activity; potassium-selective microelectrodes; 1709
Vapour pressure deficit
C_4 plants; leaf growth; *Miscanthus* × *giganteus*; temperature; 1393
Vascular rays
Agrobacterium tumefaciens; carboxyfluorescein; GFP; symplastic phloem unloading; plant tumour; 183
Vegetative propagation
zygotic embryo; megagametophyte; histochemistry; *Pinus sylvestris*; 1769
Vesicle trafficking
chloride transport; *Nitella*; tonoplast; vacuolar transport; 925
plant cells; Golgi apparatus; secretory pathway; Brefeldin A; 1465
Vesicle transport
syntaxin; AtPEP12p-like protein; 915
Vessel
water flow; perforation plate; 1179
Viral movement proteins
plasmodesmata; cell-to-cell communication; companion cell–sieve element complex; protein and RNA transport; symplasmic domains; supracellular control; threshold concentration; 979
Viscosity
Castanea sativa; membrane permeability; recalcitrant seed; respiration; 1515
Visible injury
gas exchange; transgenic plants; antioxidative systems; glutathione; ozone stress; 365
Vitis vinifera
waxes; structure; grape cuticle; oleanolic acid; 175
Wall degrading enzymes
Averrhoa carambola L; cell wall carbohydrates; ripening; softening; 767
Water channel
water permeability; aquaporin; hydraulic conductivity; major intrinsic protein; osmotic flow; 1055
Water content
homoeostasis; nitrate content; 613
Water deficit
Fraxinus excelsior L.; malate; mannitol; xylem sap; stomata; 1223
Water flow
perforation plate; vessel; 1179
Water movement
aquaporins; sugar beet; 509
Water permeability
aquaporin; hydraulic conductivity; major intrinsic protein; osmotic flow; water channel; 1055
Water potential
Lycopersicon esculentum Mill; tomato seeds; germination models; seed priming; temperature; 89
potato; tuber; development; starch; osmotic pressure; 477
Water stress
sunflower; xylem sap; free and conjugated abscisic acid; free and conjugated phaseic acid; 1599
temperature; *Orobanche aegyptiaca*; germination rate; hydrothermal time models; 655
wheat; *Tritium aestivum* L.; chlorophyll fluorescence; heat stress; photosystem II photochemistry; 1199
wheat; antioxidants; lipid radicals; oxygen radicals; 375
Water transport
root hydraulics; endodermis; exodermis; hypodermis; cortex; drought; 201
Water uptake
sour orange; *Citrus aurantium*; drought; split-root; ^{32}P; citrus; uptake kinetics; phosphorus uptake; 1845
Waxes
structure; grape cuticle; oleanolic acid; *Vitis vinifera*; 175
Wheat
Tritium aestivum L.; chlorophyll fluorescence; heat stress; photosystem II photochemistry; water stress; 1199
antioxidants; lipid radicals; oxygen radicals; water stress; 375
glutathione; grain sulphur; protein sulphur; sulphate; sulphur nutrition; sulphur sinks; sulphur sources; 1587
grain sulphur; protein sulphur; sulphur nutrition; sulphur sinks; sulphur sources; 499
molecular markers; adaptation; natural selection; dynamic management; 283
stem rust; cell walls; pectin; suppressor; resistance; 605
Wheat aleurone
gibberellic acid; α–amylase isozymes; gene expression; seed ageing; 311
Whole plant
total leaf area; leaf growth; growth rate; biomass; *Nicotiana tabacum*; 1169
Whole-plant ecophysiology
competition; C and N allocation; source-sink relations; conceptual model; 15
Winter rye
Secale cereale; low molecular weight thaumatin-like protein; antifungal activity; pathogenesis-related protein; 1627
Wood
biomechanics; plants; roots; trees; 193
Wounding
pathogenesis; jasmonate; signalling; 1331
Xanthoxal
abscisic acid; aldehyde oxidase; allopurinol; avocado; cytokinin; molybdenum cofactor; tungstate; 595
Xenobiotics
ABC transporters; detoxification; glutathione; vacuolar sequestration; 895
Xenopus oocytes
insect cells; KCO family; *Arabidopsis*; channel mutants; 955
Xylem exudate
nitrogen metabolism; poplar; 1797
Xylem sap
electrical neutrality; membrane potential; pH regulation; phloem sap; SID; 1101
free and conjugated abscisic acid; free and conjugated phaseic acid; water stress; sunflower; 1599
stomata; water deficit; *Fraxinus excelsior* L.; malate; mannitol; 1223
Yeast complementation
KAT1; inward rectifier; ion channel; recombinant PCR; 967
Yellow cedar
coat-imposed dormancy; embryo; megagametophyte; nucellar cap; seed germination; 1403
storage proteins; dehydrins; α-TiP; embryo; megagametophyte; seed development; 107
Zea mays
abscisic acid; ABA; drought stress; quantitative trait locus (QTL); molecular markers; 1289
antioxidant enzymes; chilling; paraquat; oxidative stress; 523
carotenoids; chlorophylls; low temperature; photosynthesis; 543
glyphosate (*N*-[phosphonomethyl]glycine); transgenic; absorption; translocation; source–sink; 1567
Zea mays (L.)
bulk segregant analysis (BSA); drought resistance; genetic maps; maize; molecular markers; 1299
chilling stress; oxidative stress; superoxide dismutase; transgenic plants; 71
cell cycle; cell synchronization; gene expression; 1373
plant productivity; photosynthetic rate; Rubisco; Rubisco activase; sink–source relationship; 823
maize; phosphorus; root; root morphogenesis; 487
Zostera
H^+-ATPase; cytoplasmic pH; membrane potential; sodium permeability; 1763
Zygotic embryo
megagametophyte; histochemistry; *Pinus sylvestris*; vegetative propagation; 1769
Zygotic embryos
Gea8 gene; carrot; seed storage protein; somatic embryos; 1139